

D	W1	MIN.-W2	W3	a	b	MIN-H	NORMAL W OR W1	MIN-h	MIN-h
15"	2'-2"	2'-11"	2'-9"	0'-4 1/2"	0'-8"	3'-9 1/2"	2'-0"	2'-7 1/2"	3'-7 1/2"
18"	2'-2"	3'-2 1/2"	2'-9"	0'-4 1/2"	0'-8"	4'-1"	2'-0"	2'-10"	3'-10"
24"	2'-8"	3'-3"	3'-3"	0'-7 1/2"	1'-1 1/4"	4'-9"	3'-0"	3'-8"	4'-8"
30"	3'-7 1/4"	4'-0"	3'-10"	1'-0"	1'-9"	5'-10"	3'-6 1/2"	4'-2 1/2"	5'-10"
36"	4'-2"	6-0 1/2"	4'-9"	1'-4 1/2"	2'-2 1/4"	6'-11"	4'-2"	4'-10"	5'-10"
42"	4'-5"	7'-1 3/4"	5'-0"	1'-6"	2'-7 1/4"	8'-0 1/4"	4'-8 1/2"	5'-4 1/2"	6'-11 1/2"
48"	5'-0"	8'-2 3/4"	5'-7"	1'-9 1/2"	3'-1 1/4"	9'-1 1/4"	5'-3 1/2"	5'-11 1/2"	6'-11 1/2"
54"	5'-7"	9'-4"	6'-2"	2'-1'	3'-7 1/2"	10'-2 1/2"	5'-10"	6'-6"	7'-6"
60"	6'-2"	10'-5"	6'-9"	2'-4 1/2"	4'-1 1/2"	11'-3 1/4"	6'-4 1/2"	7'-0 1/2"	3'-0 1/2"
60"	6'-9"	11'-6"	7'-4"	2'-8"	4'-7 1/2"	12'-4 1/2"	6'-11"	7'-7"	8'-7"
72"	7'-4"	12'-7"	7'-11"	2'-11 1/2"	5'-2"	13'-5 1/2"	7'-5 1/2"	8'-1 1/2"	9'-1 1/2"


TYPE B

BRICK DROP INLET

D	W1	MIN.-W2	W3	a	b	MIN-H	NORMAL W OR W1	MIN -h	MIN-h
15"	2'-0"	2'-6 1/2"	2'-7"	0'-3 1/2"	0'-6"	3'-3"	2'-0"	2'-7 1/2"	3'-9 1/2"
18"	2'-0"	2'-9 1/2"	2'-7"	0'-3 1/2"	0'-6"	3'-6"	2'-3"	2'-10"	4'-0"
24"	2'-8"	4'-1/2"	3'-3"	0'-7 1/2"	1'-1"	4'-9"	3'-0"	3'-8"	4'-10"
30"	3'-4"	5'-1 1/2"	3'-11"	0'-11 1/2"	1'-8"	5'-10"	3'-6 1/2"	4'-2 1/2"	5'-4 1/2"
36"	3'-10"	6-1 1/2"	4'-5"	1'-2 1/2"	2-1 1/4"	6'-10"	4'-2"	4'-10"	6'-0"
42"	4'-5"	7'-2 1/2"	5'-0"	1'-6"	2'-7 1/2"	7'-11"	4'-8 1/2"	5'-4 1/2"	6'-6 1/2"
48"	5'-0"	8'-3 1/2"	5'-7"	1'-9 1/2"	3'-1 1/4"	9'-0"	5'-3 1/2"	5'-11 1/2"	7'-1 1/2"
54"	5'-7"	9'-4 1/2"	6'-2"	2'-1'	3'-7 1/4"	10'-1"	5'-10"	6'-6"	7'-8"
60"	6'-2"	10'-5 1/2"	6'-9"	2'-4 1/2"	4-1 1/2"	11'-2"	6'-4 1/2"	7'-0 1/2"	8'-2 1/2"
60"	6'-9"	11'-6 1/2"	7'-4"	2'-8"	4'-7 1/2"	12'-3"	6'-11"	7'-7"	8'-9"
72"	7'-4"	12'-7 1/2"	7'-11"	2'-11 1/2"	5'-1 1/4"	13'-4"	7'-5 1/2"	8'-1 1/2"	9'-3"

TYPE B

CONCRETE DROP INLET

FULTON COUNTY STANDARD DETAIL 511 DROP INLETS DIMENSION		DATE: 8/06 RC:		REVISIONS:		DATE:		REVISIONS:		DES./DRN./CHKD. CANS APPROVED: _____ DATE: 12-2-05				FULTON COUNTY PUBLIC WORKS 141 PRYOR ST. ATLANTA, GA. 30303 404-612-7400 FAX: 404-224-0498		DRAWING NO. 511	
--	--	-------------------	--	------------	--	-------	--	------------	--	--	--	---	--	--	--	--------------------	--