



Department of Purchasing & Contract Compliance

Felicia Strong-Whitaker, Director

REQUEST FOR E-QUOTE NUMBER: 15FB99139C

PROJECT TITLE: PIPE LOCATOR EQUIPMENT

DEPARTMENT: PUBLIC WORKS/GENERAL SERVICES

DUE DATE: August 27, 2015

WILL BE RECEIVED UNTIL: 2:00 P.M.

LAST DAY FOR QUESTIONS: August 24, 2015

BIDDERS MAY SUBMIT REQUESTS FOR CLARIFICATION OR QUESTIONS REGARDING THIS E-QUOTE TO THE PURCHASING CONTACT PERSON LISTED BELOW. ANY REQUEST SHALL ONLY BE SUBMITTED IN WRITING (FAX OR EMAIL). ALL RESPONSES TO WRITTEN REQUEST(S) WILL BE DISTRIBUTED AS ADDENDA TO THIS E-QUOTE AND POSTED ON THE FULTON COUNTY WEBSITE AT www.fultoncountyga.gov.

THE COUNTY WILL NOT RESPOND TO REQUESTS RECEIVED AFTER August 27, 2015 AT 2:00 P.M.

E-QUOTE RESPONSES MUST BE SUBMITTED ONLINE AT www.fultonvendorservice.co.fulton.ga.us. BY THE DATE AND TIME INDICATED. You must be a registered vendor in order to respond to E-QUOTES.

ANY QUESTIONS REGARDING PURCHASING PROCEDURES OR THE SPECIFICATIONS SHOULD BE ADDRESSED ONLY TO THE PURCHASING CONTACT PERSON LISTED BELOW VIA EMAIL ONLY. NO PHONE CALLS WILL BE ACCEPTED. BIDDERS MAY NOT HAVE CONTACT WITH COUNTY OFFICERS, ELECTED OFFICIALS OR COUNTY EMPLOYEES REGARDING THIS BID PRIOR TO AWARD OF PURCHASE ORDER. VIOLATION OF THIS INSTRUCTION WILL RESULT IN YOUR BID BEING FOUND NON-RESPONSIVE.

CONTACT NAME:
Felicia Brooks

E-MAIL ADDRESS:
Felicia.Brooks@fultoncountyga.gov

FAX NUMBER:
404-612-0351

All information requested on this sheet must be completed. Unless specifications indicate "NO SUBSTITUTE", items determined by Fulton County to be "EQUAL OR BETTER" will be given full consideration. All prices QUOTED must be "FOB DELIVERED" unless otherwise requested, and must be submitted in the format requested. The County reserves the right to cancel the solicitation and to reject any or all quotes in whole or in part and is not bound to accept any quote if rejection of that quote is determined to be contrary to the best interest of the County.

**REQUEST FOR QUOTE
GENERAL TERMS AND CONDITIONS**

The following provisions are hereby made a part of this Request for Quote ("E-QUOTE"). Any contract or purchase order awarded as the result of this request shall be governed by these General Terms and Conditions. By submission of your responses to this e-quote, vendor agrees to furnish the product(s) and/or service(s) pursuant to these conditions.

1. **GENERAL.** These provisions are standard for all County contracts. The County may delete or modify any of these standard provisions for a particular contract or purchase order by indicating a change in the special instructions or provisions. **Any vendor accepting a purchase order award as the result of this request agrees that the provisions included within this Request for E-Quote shall prevail over any conflicting provision within any standard form contract of the vendor.**
2. **METHOD OF SOURCE SELECTION.** This procurement is being conducted in accordance with all applicable provisions of the Fulton County Code of Ordinances and the specific method of source selection for the services required in this bid is Code Section 102-373, Competitive Sealed Bidding.
3. **SUBMISSION OF RESPONSES.** Responses must be submitted for e-quotes on-line via the Vendor Self Service system at <https://fultonvendoreselfservice.co.fulton.ga.us/webapp/VSSPROD/Advantage>. Response to e-quotes must be received no later than 2:00 p.m. on the date indicated.
4. **STATE OF GEORGIA IMMIGRATION REQUIREMENT.** Effective July 1, 2013, State law requires that all contracts for the physical performance of services for all labor or service contract(s) that exceed \$2,499.99 (except for services performed by an individual who is licensed pursuant to Title 26, Title 43, or the State Bar of Georgia) must comply with the Illegal Immigration Reform and Enforcement Act. The County cannot enter into a contract for the physical performance of services unless the contractor has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify.

Before a bid for any such services is considered by the County, the bid shall include a signed, notarized affidavit from the contractor attesting the affiant has registered with, is authorized to use, and uses the federal work authorization program.
5. **AMENDMENTS TO THE REQUEST FOR E-QUOTE.** Any amendment to pricing is valid only if in writing and issued by the County.
6. **ADDENDUM.** Revision to the Request for E-Quote issued by the County prior to the receipt of bids.
7. **NON-COLLUSION.** Bidder certifies that this bid is made without prior understanding, agreement or connection with any other corporation, firm or person submitting a bid for the same work, labor or service to be done or the supplies, materials or equipment to be furnished and is in all respects fair and without collusion or fraud. Bidder further understands collusive bidding is a violation of state and federal law and can result in fines, prison sentences and civil damage awards. Bidder agrees to abide by all conditions of this bid and certifies that person signing is authorized to sign this bid or proposal for the bidder.
8. **CONFLICT OF INTEREST.** Vendor states that no County officer or employee, nor any business entity in which they have an interest: a) Has an interest in the contract awarded; b) Has been employed or retained to solicit or aid in the procuring of the resulting contract; c) Will be employed in the performance of such contract without immediate disclosure of such fact to the County.
9. **BASIS OF AWARD.** The County shall award to the overall lowest responsible and responsive vendor complying with the provisions of the Request for E-Quote. The following criteria may be considered by the County in selecting the most advantageous quote: a) Ability to perform the service required within the specified time; b) Conformance to specification; c) The quality of performance in previous contracts; d) Financial ability to perform the contract; e) Item pricing; f) vendor references. The County reserves the right to cancel the solicitation and to reject any or all quotes in whole or in part and is not bound to accept any quote if rejection of that quote is determined to be contrary to the best interest of the County.
10. **SAMPLES.** Samples of items when required, must be furnished free of expense to the County and upon request, be returned to the Vendor at the Vendor's expense. Samples of selected items may be retained for comparison purposes.
11. **NEW.** All items bid must be new. Used, rebuilt and refurbished items will not be considered unless specifically authorized by Fulton County in the written specifications.

12. **BRAND NAME SPECIFICATIONS AND APPROVED EQUIVALENTS.** Unless otherwise specified, manufacturer's names, trade names, brand names, information and/or catalog numbers listed in the specifications are intended only to identify the quality and characteristics desired. They are not intended to limit competition. The Vendor may offer any equivalent product which meets or exceeds the specifications. If quotations are based on equivalent products, the quote must: a) Indicate the alternate manufacturer's name and catalog number; b) Include complete descriptive literature and/or specifications; c) Include proof that the proposed equivalent will meet the specifications. The County reserves the right to be the sole judge of what is equal and acceptable to meet its needs in all respects. If Bidder fails to name a substitute, goods identical to the published standard must be furnished.
13. **INDEMNIFICATION.** Contractor/Vendor hereby agrees to release, indemnify, defend and hold harmless the County, its Commissioners, officers, employees, subcontractors, successors, assigns and agents from and against any and all losses (including death), claims, damages, liabilities, costs and expenses (including but not limited to all actions, proceedings, or investigations in respect thereof and any outcome of any such action, proceeding, or investigation), caused by, relating to, based upon or arising out of any act or omission by contractor, its directors, officers, employees, subcontractors, successors, assigns or agents, or otherwise in connection with its acceptance, of the performance, or nonperformance, of its obligations under this agreements.
14. **TAXES.** Fulton County is exempt from the State of Georgia sales tax and exemption certificate will be furnished upon request.
15. **DELIVERY.** All prices must be FOB Destination, unloaded inside and assembled unless otherwise indicated.
16. **RIGHTS AND REMEDIES OF COUNTY FOR DEFAULT.** If any item furnished by the Vendor fails to conform to specifications, or to the sample submitted by the Vendor, the County may reject it. Upon rejection, the Vendor must promptly reclaim and remove such item without expense to the County, and shall immediately replace all such rejected items with others conforming to such specification and samples. If the Vendor fails to do so, the County has the right to purchase in the open market a corresponding quantity of any such items and to deduct from any monies due the Vendor the difference between the prices named in the purchase order and the actual cost to the County. If the Vendor fails to make prompt delivery of any item, the County has the right to purchase such item in the open market and to deduct from any monies due the Vendor the difference between the prices named in the purchase order and the actual replacement cost to the County. The rights and remedies of the County identified above are in addition to any other rights and remedies provided by law or under the purchase order.
17. **INVOICES AND PAYMENT TERMS.** Invoices are to be mailed to the County department specified on the resulting purchase order or master agreement. All invoices must include the purchase order number or master agreement number. Failure to comply may result in delayed payments. The County payment terms are Net 30 days unless a cash discount is allowed for payment within not less than twenty (20) days. The payment term shall begin on the date the merchandise is inspected, delivered and accepted by the County and the correct invoice is received in the office specified on the purchase order.
18. **LEGAL REQUIREMENTS.** Federal, State, County and local ordinances, rules and regulations, and policies shall govern development, submittal and evaluation of quote and disputes about quotes. Lack of knowledge by any Vendor about applicable law is not a defense.
19. **ASSIGNMENT.** Any purchase order awarded shall not be assignable by the Vendor without the express written approval of the County, and shall not become an asset in any bankruptcy, receivership or guardianship proceedings.
20. **REJECTION OF BID.** Bids may be considered irregular and may be rejected if they show omissions, alternations of form, additions not called for, conditions, limitations, unauthorized alternate bids or other irregularities of any kind. The County reserves the right to waive minor technicalities or irregularities of bid.
21. **TERMINATION.** In the event any of the provisions of the purchase order are violated, the County may serve written notice of its intention to terminate the purchase order. Such notice will state the reason(s) for such intention, and unless within ten (10) days after serving notice upon the contractor, such violation has ceased and satisfactory arrangements for correction made, the purchase order shall, upon expiration of ten (10) days, be terminated. Further, the County reserves the right to terminate for its convenience any purchase order in whole or in part upon giving thirty (30) days prior written notice to the other party.
22. **DEBARMENT.** If a Bidder is presently debarred, suspended, proposed for debarment, declared ineligible, or otherwise excluded from doing business with any government agency which prohibits your firm from participating in any procurement, the Bidder must provide the County with that information as part of its response to this solicitation. Failure to fully and truthfully provide the information required, may result in the disqualification of your bid from consideration or termination of the purchase order, once awarded.

23. **RIGHT TO PROTEST.** Any actual bidder or offeror that has submitted a bid/proposal for a particular procurement and is aggrieved in connection with the solicitation or award of the contract shall protest in writing to the purchasing agent after the date that the specific bid or proposal is submitted. No protest will be accepted or considered prior to the date the specific bid or proposal is submitted; it will be considered untimely. All protests shall set forth in full detail the factual and legal bases for the protest and specific relief sought by the protestor. Protests arising from factual or legal bases that the protestor knew or should have known prior to the submission of the bid/proposal must be submitted within three business days of the submission of the bid/proposal. Protests arising from factual or legal bases that the protestor knew or should have known subsequent to the date the bid/proposal was submitted must be submitted within ten business days after the protestor knew or should have known of such bases, but in no event shall any protest be submitted more than ten business days after the award of the contract. Untimely protests will not be considered by the purchasing agent and will be simply denied as untimely. Decisions on timeliness by the purchasing agent are not appealable. An oral protest or a protest to an official, employee, User Department, or other person apart from the Director of Purchasing & Contract Compliance does not comply.
24. **BINDING AUTHORITY.** The individual submitting this E-QUOTE must have binding authority to submit contracts on behalf of the responding company. By submitting a response, vendor agrees that their quote is an offer to sell. All bidders shall comply with all Fulton County purchasing laws, policies, and procedures, as well as relevant state and federal laws, including compliance with EEOC hiring guidelines and requirements under the Americans with Disabilities Act.

REQUEST FOR E-QUOTE SPECIFICATIONS

Pipe Locator Equipment Department of Public Works/General Services

1. DESCRIPTION

The Fulton County Department of Purchasing is soliciting e-quotes from qualified vendors to purchase pipe locator equipment for the Department of Public Works/General Services.

2. CONTACT PERSON

Please contact Felicia Brooks, Procurement Officer by e-mail Felicia.Brooks@fultoncountyga.gov or Fax (404) 612-0351 only, with any procedural or technical questions. All questions should be submitted in writing to the Purchasing contact person via email only. No phone calls will be accepted. Any responses made by the County will be provided in writing to all Bidders by addendum. No verbal responses shall be authoritative.

3. TERM OF AGREEMENT

This is a one-time procurement.

4. PRODUCT/SERVICE SPECIFICATIONS

The Water Resources Division is soliciting quotes from qualified vendors to purchase the following pipe locator equipment for the Public Works/General Services Department at the location below.

Water Resources Operations & Maintenance Center (WROC)
11575 Maxwell Road
Alpharetta, GA 30009

A) SPECIFICATIONS - PRECISION PIPE LOCATOR - vLocML2 Rx

Typical Applications

Description	Multi-purpose precision locator receiver Electronic marker-ball detection
Uses	Locating & pinpointing the position of buried pipes and cables Frequency compatible marker types Detection of any 1 of 9 marker balls types buried to a depth of 6ft Detection of large flat makers to a depth of 9ft
Receiver Assembly	
Construction	Carbon fiber reinforced antenna tube
Weight	5.7 lbs.
Dimensions	10.3" (L) x 5.9" (W) x28"(H)
Display Type	Sharp TFT LCD VGA color display 3.52in

Receiver Antennas	2x Peak antennas, 1x null antenna, 1x compass antenna, 1x marker transmit antenna, 1x marker receiver antenna
Batteries	Rechargeable Lithium-ion batteries with 100-240v AC mains charger Replaceable (6x standard alkaline AA batteries) batteries can be used when required
Battery life	Alkaline-typically 6 hours intermittent use at 70 degree F Lithium-ion-typically 20 hour intermittent use at 70 degree F (with full backlight turned on). Recharging cycles approximate 500 times life cycle. Battery life varies with temperature
External Connectors	1x Socket for accessories port (analogue and digital) 1x Mini USB socket for data transfer/programming 1x Socket for battery charger 1x Standard USB (Memory stick) socket for data transfer
Approvals	Complies with European standard CE (Directive 99/5/EC) EN 55011 EN 61000-4-2: A1 & A2 EN 61000-4-3 EN 61000-4-8: A1 ETSI EN 300 330-2 ETSI EN 301 489-1 ETSI EN 301 489-3 Complies with FCC rules part 15
Approvals (cont.)	CFR 47 part 2 CFR 47 part 15
Standard Accessories	USB data cable 100-240V AC mains charger (lithium-ion battery) Soft carry bag (roll around bag if purchased with transmitter) User Handbook
Operational Information Displayed	Marker reference number and icon Response to marker ball Circular bar graph and variable pitch tone to indicate signal strength Manual EMS (Electronic Marker System) gain control Signal strength – moving bar graph and numeric value Mode indication (“Peak”, “Null”, “Broad Peak”, “Sonde” and “Peak With proportional left/right arrows” location) Proportional left/right indication Compass: full 360 deg. Line direction indicator Plug and play automatic recognition of accessories Measurement of depth and current on target line Line location – depth & current measurement Sonde location – depth measurement Gain level (in dB) Frequency selected Battery condition Speaker volume Operating frequency Bluetooth and GPS status Configuration menu & submenus Start-up screen – product and USB accessories software revision Customer definable start up screen
Configuration	Intuitive setup menu enables user to configure alternatively use Virax-Metrotech configuration tool:

	Setup frequency selection to toggle by “F” pushbutton
	Setup location mode selection to toggle by “M” pushbutton
	Sonde/line location
	Units of measure (feet/meter)
	Power and radio modes - 50 hz or 60 hz environments
	Sound (pitch) – normal/modulated
	Language
Configuration (cont.)	Continuous depth/current options
	Loudspeaker level
	Backlight
	Bluetooth pairing if fitted
	Auto shut down – 2 or 5 minutes or never
Operating Frequencies	Frequency list defined below
Pre-Defined Marker	Ref# Utility Frequency (Hz)
Ball frequencies	2 Water (Blue) 145,700
	3 Sanitary (Green) 121,600
Pre-defined Frequencies for vLocML2 Receiver	Configurable frequencies from 16Hz to 200 kHz
	Signal Direction-Some specific models include a feature called SD (Signal Direction) in addition to the above transmitter will have two Combinations of SD frequency
	SD-USA 256Hz/512Hz
	SD-EUR 320Hz/640Hz
	Vivax-Metrotech Corporation retains the right to make additions or Deletions to this list at any time
Operating Modes	vLocML2 Line Location Receiver
	Marker locator
	Dual mode operation: Peak response combined with Marker-Ball Detection
	Peak
	Null
	Sonde
	Broad Peak
	Peak with proportional left/right arrows
Gain Control	Manual gain using “+” or “-” with one touch to return to center (60% of FSD)
Performance in Area of undistorted Fields	Generally locatable to 6ft depth
Performance using Single Undistorted Signal Source	Locate pinpointing accuracy: up to 9ft-3% of depth over 9ft-5% of depth Depth measurement accuracy: 3% of depth
Signal Source (Con't)	Current measurement accuracy: 3% of actual current – up to 9 ft 5% of actual current – over 9 ft Depth range: Dependent on strength of signal radiating to locator – generally Up to 15ft
Sensitivity Mode	Sensitivity at 3.2ft

50 Hz/ Power Mode	7.5 mA
Radio Mode	20 A
512Hz/640Hz	400 A
8 kHz	40 A
32 kHz and Above	25 A
Environmental Item	Parameter
Temperature Range	Operating:-4 degree F to 122 degree F Storage: -40 degree F to 140 degree F
Weather proof	IP54 and NEMA 4
Shipping Weight	11 lbs.
Shipping Dimension	13 in (L) x 8.7 in (W) x 32.7 in (H)
Warranty	12 months
Upgrade Software	Software can be upgraded using a PC with USB port. Programs & Locator software will be available via MyLocator2. Additional Frequencies will be available free of charge.
Weight	.07lbs
Dimension	2.63in (L) x .9 in (W) x .63in (H)
Specification	Tracks up to 32 satellites Receiver: L1, 1575.42 MHz C/A code: 1.023 MHz Update rate: 1Hz Antenna type: built-in patch antenna Minimum signal tracked: -159 dBm On/Off switch: slide switcher Lithium-ion battery lasts for 15 hours of use Accuracy better than 3m when receiving SBAS correction signal
LED Indication	Bluetooth Navigation update Battery/charger status indication
Temperature Range	Storage Temperature :-4 degree F to 140 degree F :-22 degree F to 176 degree F without battery Operation Temperature: 14 degree F to 140 degree F
Features Enhanced Features	Reduced size and weight with enhanced ergonomic design Improved power management and Lithium-ion rechargeable batteries provide longer battery life (250% more) Auto detects batteries type (Lithium-ion/Alkaline) and displays appropriate status. Non-reflective display Enable/Disable auto shut off mode USB Data logging (future feature) Analogue channel (future feature)

B) SPECIFICATIONS - LOCATOR RECEIVER - vLocPro2

Typical Applications	
Description	Multi-purpose precision locator receiver
Uses	Locating & pinpointing the position of buried pipes and cables
Receiver Assembly	
Construction	Carbon-fiber reinforced antenna tube High impact thermoplastic (ABS) injection molded housing
Weight	4.6lbs
Dimensions	10.3in (L) x 4.8in (W) x 25in (H)
Display type	Sharp TFT LCD ¼ VGA color display, 3.52in
Receiver antennas	2 x peak antennas, 1 x null antenna, 1 x compass antenna
Batteries	Rechargeable custom Lithium-ion batteries with 100 - 240 V AC Mains charger
Options	Replaceable (6 x standard Alkaline AA batteries) batteries can be Used when required
Battery life	Alkaline- typically 12 hours intermittent use at 70 ⁰ F Lithium-ion- typically 40 hours intermittent use at 70 ⁰ F (with Full backlight turned on). Re-charging cycles approx. 500 times life cycle. Battery life varies with temperature.
External Connectors	1 x Socket for accessories port (analogue & digital) 1 x Mini USB socket for date transfer/programming 1 x Socket for battery charger 1 x Standard USB (Memory stick) socket for data transfer
Compliance/Approvals	Complies with European standard CE (Directive 99/5/EC) EN 55011 EN 61000-4-2: A1 & A2 EN 61000-4-3 EN 61000-4-8: A1 ETSI EN 300 330-2 ETSI EN 301 489-1 ETSI EN 301 489-3 Complies with FCC rules part 15 CFR 47 part 2 CFR 47 part 15
Standard Accessories	USB data cable 100-240V AC mains charger (Lithium-ion battery) Soft carry bag (Roll around bag if purchased with transmitter) User handbook
Operational Information Displayed	Signal strength-moving bar graph & numerical value Mode indication ("Peak", "Null", "Broad Peak", "Sonde" and "Peak With proportional left/right arrows" location) Proportional left/right indication Compass: full 360 deg. Line direction indicator Plug and play automatic recognition of accessories Accessory specific custom screen Line location – depth & current measurement Sonde location – depth measurement Gain level (in dB)

Configuration	<p>Frequency selected Battery condition Speaker volume Operating frequency Bluetooth and GPS status Configuration menu & submenus Start-up screen – product and USB accessories software revision Customer definable start up screen Intuitive setup menu enables user to configure: Setup frequency selection to toggle by “F” pushbutton Setup location mode selection to toggle by “M” pushbutton Sonde/line location Units of measure (feet/meter) Power and radio modes - 50 hz or 60 hz environments Sound (pitch) – normal/modulated Language Continuous depth/current options Loudspeaker level Backlight Bluetooth pairing if fitted Auto shut down – 2 or 5 minutes or never</p>
Internal Data Logging	<p>At least 1000 records All parameters stored at each location including Depth, Current, Mode, Gain Setting, and Frequency If connected to GPS (via Bluetooth) data also recorded with coordinates and date time. Files can be saved as .kml, .txt, .xls, .shp. Data transfer program MyLocator2 available from www.vivax-metrotech.com</p>
Operating Frequencies Pre-Defined Frequencies	<p>Frequency list defined below Configurable frequencies from 16Hz to 200 kHz Signal Direction-Some specific models include a feature called SD (Signal Direction) in addition to the above the transmitter will have two combinations of SD frequency. SD-USA 256Hz/512Hz SD-EUR 320Hz/640Hz Vivax-Metrotech Corporation retains the right to make additions or deletions to this list at any time.</p>
Operating Modes	<p>Peak Null Sonde Broad Peak</p>
Gain Control	<p>Peak with proportional left/right arrows Manual gain using “+” or “-” with one touch to return to center (60% of FSD)</p>
Data Logging	<p>1000 records Records include depth, current, frequency, mode, gain setting, signal strength, GPS coordinate, date and time (if Bluetooth active)</p>
Data Transfer	<p>Uses vivax-metrotech software application tool available free of charge from www.vivax-metrotech.com. Data can be saved in following format:</p>

Performance using Single Undistorted Signal Source	xlx, txt, fhp, kml (Google Earth) Locate pinpointing accuracy: up to 9ft 3% of depth over 9ft 5% of depth Depth measurement accuracy: 3% of depth Current measurement accuracy: 3% of actual current up to 9ft 5% of actual current over 9ft Depth range: Dependent on strength of signal radiating to locator
Compatible with Transmitter	Loc-5Tx
Sensitivity Mode	Sensitivity at 3.2ft
50 Hz/ Power Mode	7.5 mA
Radio Mode	20 μ A
512Hz/640Hz	400 μ A
8 kHz	40 μ A
32 kHz and Above	25 μ A
Environmental Item	Parameter
Temperature Range	Operating :-4 degree F to 122 degree F Storage :-40deg F to 140 degree F
Weather proof	IP54 and NEMA 4
Shipping Weight	37 lbs. (with transmitter)
Shipping Dimension	17.5in (L) x 11.2in (W) x 30.1in (H)
Warranty	12 months
Upgrade Software	Software can be upgraded using a PC with USB port. Programs & Locator software will be available via MyLocator2.
Features Enhanced Features	Reduced size and weight with enhanced ergonomic design Improved power management and Lithium-ion rechargeable batteries provide longer battery life (approximate 300% improvement from vLocPro) Auto detects batteries type (Lithium-ion/Alkaline) and displays appropriate status Non-reflective display Enable/Disable auto shut off mode USB data logging (Future feature) Analogue channel (Future feature) Internal data logging (1000 records)

5. PRICING SHEETS (FOB Destination)

<i>Item No.</i>	<i>Item Description</i>	<i>Estimated Quantity</i>	<i>Unit of Issue</i>	<i>Unit price (\$)</i>
1.	Precision Pipe Locator - vLocML2 Rx to include three (3) equipment use training sessions not to exceed 12 total hours.	4	each	\$_____
2.	Locate receiver - Multi-purpose ball marker locator receiver - vLocPro2	1	each	\$_____

6. SPECIAL CONDITIONS/INSTRUCTIONS

Provide three (3) equipment use training sessions not to exceed 12 total hours to be included in price of Item No. 1, Section 5, Pricing Sheet.

Invoices must match Section 5, Pricing Sheet, for commodities and prices.

Vendors will only be paid for items listed in Section 5, Pricing Sheet.

Pricing should include all shipping and handling costs.

If exact items are not quoted, specification sheets must accompany the response. If they are not included, you may be deemed non-responsive.

7. Insurance and Risk Management Provisions

Pipe Locator Equipment Supplier

It is Fulton County Government's practice to obtain Certificates of Insurance from our Contractors and Vendors. Insurance must be written by a licensed agent in a company licensed to write insurance in the State of Georgia. Respondents shall submit with the bid/proposal evidence of insurability satisfactory to Fulton County Government as to form and content. Either of the following forms of evidence is acceptable:

- A letter from an insurance carrier stating that upon your firm/company being the successful Bidder/Respondent that a Certificate of Insurance shall be issued in compliance with the Insurance and Risk Management Provisions outlined below.
- A Certificate of Insurance complying with the Insurance and Risk Management Provisions outlined below (Request for Bid/Proposal number and Project Description must appear on the Certificate of Insurance).
- A combination of a specific policy written with an umbrella policy covering liabilities in excess of the required limits is acceptable to achieve the applicable insurance coverage levels.

Upon award, the Contractor/Vendor must maintain at their expense, insurance with policy limits equal to or greater than the limits described below. Any and all Insurance Coverage(s) and Bonds required under the terms and conditions of the contract shall be maintained during the entire length of the contract, including any extensions or renewals thereto, and until all work has been completed to the satisfaction of Fulton County Government.

Accordingly the Respondent shall provide a certificate evidencing the following:

**1. WORKERS COMPENSATION/EMPLOYER'S LIABILITY INSURANCE – STATUTORY
(In compliance with the Georgia Workers Compensation Acts and any other State or Federal Acts or Provisions in which jurisdiction may be granted)**

Employer's Liability Insurance	BY ACCIDENT - EACH ACCIDENT	\$100,000
Employer's Liability Insurance	BY DISEASE - POLICY LIMIT	\$500,000
Employer's Liability Insurance	BY DISEASE - EACH EMPLOYEE	\$100,000

2. COMMERCIAL GENERAL LIABILITY INSURANCE (Including contractual Liability Insurance)

Bodily Injury and Property Damage Liability (Other than Products/Completed Operations)	Each Occurrence	-	\$1,000,000
	General Aggregate	-	\$2,000,000
Products\Completed Operations	Aggregate Limit	-	\$2,000,000
Personal and Advertising Injury	Limits	-	\$1,000,000
Damage to Rented Premises	Limits	-	\$ 100,000

3. BUSINESS AUTOMOBILE LIABILITY INSURANCE

Bodily Injury & Property Damage	Any One Accident	-	\$1,000,000
--	------------------	---	-------------

(Including operation of non-owned, owned, and hired automobiles).

4 UMBRELLA LIABILITY INSURANCE

(In excess of above noted coverages)	Per occurrence/aggregate	-	\$1,000,000
--------------------------------------	--------------------------	---	-------------

Certificates:

The aforementioned insurance policies shall contain or be endorsed to contain a Provision that coverage afforded under such policies shall not expire, be cancelled or altered without at least thirty (30) days written notice to Fulton County Government. Certificates of insurance are to list Fulton County Government as an Additional Insured (except for Workers Compensation), using ISO form CG 2010 (11/85) version, its' equivalent or on a blanket basis.

The Contractor/Vendor insurance shall apply as Primary Insurance before any other insurance or self-insurance, including any deductibles, non-contributory, and Waiver of Subrogation provided in favor of Fulton County Government.

If Fulton County Government shall so request, the Respondent, Contractor or Vendor will furnish the County for its inspection and approval such policies of insurance with all endorsements, or confirmed specimens thereof certified by the insurance company to be true and correct copies.

Such certificates and notices shall be sent to:

Fulton County Government – Purchasing Department
130 Peachtree Street, S.W.
Suite 1168
Atlanta, Georgia 30303-3459

Important:

It is understood that failure to comply nor full compliance with the foregoing insurance requirements shall limit or relieve the Contractor/Vendor from any liability incurred as a result of their activities/operations in conjunction with the Contract and/or Scope of Work.

USE OF PREMISES

Contractor/Vendor shall confine its apparatus, the storage of materials and the operations of its workers to limits/requirements indicated by law, ordinance, permits and any restrictions of Fulton County Government and shall not unreasonably encumber the premises with its materials (Where applicable).

PROTECTION OF PROPERTY

Contractor/Vendor will adequately protect its own work from damage, will protect Fulton County Government's property from damage or loss and will take all necessary precautions during the progress of the work to protect all persons and the property of others from damage or loss.

Contractor/Vendor shall take all necessary precautions for the safety of employees of the work and shall comply with all applicable provisions of the Federal, State and local safety laws and building codes to prevent accidents or injury to persons on, about, or adjacent to the premises where work is being performed.

Contractor/Vendor shall erect and properly maintain at all times as required by the conditions and progress of the work, all necessary safeguards for the protection of its employees, Fulton County Government employees and the public and shall post all applicable signage and other warning devices to protect against potential hazards for the work being performed.

THE RESPONDENT ACKNOWLEDGES HAVING READ, UNDERSTANDING, AND AGREES TO COMPLY WITH THE ABOVE STATEMENTS, AND IS AUTHORIZED TO SIGN CONTRACTS ON BEHALF OF THE RESPONDING COMPANY.

COMPANY: _____ SIGNATURE: _____

NAME: _____ TITLE: _____

DATE: _____