



DEPARTMENT OF PURCHASING & CONTRACT COMPLIANCE

**Winner 2000- 2008 Achievement of Excellence in Procurement Award
National Purchasing Institute**

Felicia Strong-Whitaker, Interim Director



July 9, 2014

Re: 14ITBC93888B-TR, Uniforms and Gear 2015

Dear Bidders:

Attached is one (1) copy of Addendum 1, hereby made a part of the above referenced **Bid (ITB)**.

Except as provided herein, all terms and conditions in the **Bid** referenced above remain unchanged and in full force and effect.

Sincerely,

Terrence Reese

Terrence Reese
Assistant Purchasing Agent

Addendum No. 1

Page Two

This Addendum forms a part of the contract documents and **modifies** the original ITB documents as noted below:

The following change has occurred for the aforementioned ITB solicitation document.

The specifications for item # 13 **Body Armor and Accessories** currently reads as follows:

13. Body Armor and Accessories

A. Concealable Body Armor Halo-d-11

National Institute of Justice (NIJ) Certified under "NIJ 2005 Interim Requirements for Bullet-Resistant Body Armor" for, Threat Level II, minimum five (5) year warranty, and moisture barrier covering on ballistic panels. Armor should be concealable under the standard uniform shirt. Armor will provide full torso coverage. Included with armor will be: two (2) carrier garments (shall meet specifications listed in "B" below), protective storage case or pouch and one of the following: hard trauma plate, soft trauma pack or hard ballistic plate with NIJ Certification, with a minimum dimension of 5" x 8". Measuring and fitting for armor included in price. Vest carrier garment colors: Navy Blue, Black and White. Examples of acceptable armor are: Point Blank Body Armor Vision™ Model, American Body Armor (ABA) Xtreme® HP Model XT2-9 with AJ carrier, and Armor Express Emperor II with Eclipse™ carrier.

- B.** Carrier Garment for Concealable Body Armor in "A" above – Garment will be machine washable and removable from the ballistic panels. Garment will be constructed of a fabric that is anti-microbial, resists degradation by perspiration, mildew, and chemicals. The body side construction shall be of a fabric that provides a wicking action to transport moisture away from the wearer's body. Adjusting straps shall be no less than two (2) inches wide and no more than four (4) inches wide and should allow for a minimum of six (6) points of adjustment. Carrier shall have an internal suspension system that stabilizes the ballistic panel. All closure, fastening, or accessory attachment devices should be made of materials that do not present a "secondary projectile" or "ricochet" hazard if struck by a bullet. Chest portion of carrier will have a pocket for a hard ballistic/trauma plate or soft trauma pack, pocket dimensions 5" x 8" minimum. Colors: Navy Blue, Black, Tan.

- C. Outer Body Armor- Weight .63psf; thickness.18"; V50 9MM (fps)
- D. Outer Body Armor- Type II/Spike Level 2

For further technical information or to view samples, contact William E. Long, Jr., at (404) 730.7660, who in turn will contact the Sheriff's Office.

The changes to item # 13 **Body Armor and Accessories** are as follows:

13. Body Armor and Accessories

A. Concealable Body Armor Razor Ballistic System

National Institute of Justice (NIJ) Certified under "NIJ Standard 0101.06 Interim Requirements for Bullet-Resistant Body Armor" for, Threat Level II, minimum five (5) year warranty, and moisture barrier covering on ballistic panels. Armor should be concealable under the standard uniform shirt. Armor will provide full torso coverage. Included with armor will be: two (2) carrier garments (shall meet specifications listed in "B" below), protective storage case or pouch and one of the following: hard trauma plate, soft trauma pack or hard ballistic plate with NIJ Certification, with a minimum dimension of 5" x 8". Measuring and fitting for armor included in price. Vest carrier garment colors: Black and White. Examples of acceptable armor are: Razor RZR-B-II.

- B. Carrier Garment for Concealable Body Armor in "A" above – Garment will be machine washable and removable from the ballistic panels. Garment will be constructed of a fabric that is anti-microbial, resists degradation by perspiration, mildew, and chemicals. The body side construction shall be of a fabric that provides a wicking action to transport moisture away from the wearer's body. Adjusting straps shall be no less than two (2) inches wide and no more than four (4) inches wide and should allow for a minimum of six (6) points of adjustment. Carrier shall have an internal suspension system that stabilizes the ballistic panel. All closure, fastening, or accessory attachment devices should be made of materials that do not present a "secondary projectile" or "ricochet" hazard if struck by a bullet. Chest portion of carrier will have a pocket for a hard ballistic/trauma plate or soft trauma pack, pocket dimensions 5" x 8" minimum. Colors: Black or white.
- C. Outer Body Armor- Weight .63psf; thickness.18"; V50 9MM (fps)
- D. Outer Body Armor- Type II/Spike Level 2

ACKNOWLEDGEMENT OF ADDENDUM No. 1

The undersigned bidder acknowledges receipt of this addendum by returning one (1) copy of this form with the proposal package to the Purchasing Department, Fulton County Public Safety Building, 130 Peachtree Street, Suite 1168, Atlanta, Georgia 30303 by the ITB due date and time **Tuesday, August 5, 2014 at 11:00 A.M.**

This is to acknowledge receipt of Addendum No. 1, _____ day of _____, 2014.

Legal Name of Bidder

Signature of Authorized Representative

Title