



CLEANOUT DETAIL
N.T.S.

CLEANOUT BOX LID
N.T.S.



PLAN
N.T.S.

CLEANOUT BOX
N.T.S.



PLAN VIEW
N.T.S.



SECT A-A
N.T.S.



SECTION B-B
N.T.S.



SECTION C-C
N.T.S.



SECT D-D
N.T.S.

NOTES
1. CAST IRON SHALL CONFORM TO A.S.T.M. SPEC A48 LATEST REV. FOR CLASS 20 GREY IRON CASTINGS.
2. IF THE RISER IS GREATER THAN 6'-0" THE JOINT WILL BE ENCASED IN 6" OF 1:3.5 CONCRETE.
3. MAINTAIN MATERIAL: USE PVC LATERAL WITH PVC MAIN AND USE D.I. LATERAL WITH D.I. MAIN INCLUDING T-WYE.

FULTON COUNTY STANDARD DETAIL 711
SEWER LATERAL INSTALLATION
DETAILS FOR CURBED STREETS

DATE	REVISIONS	DATE	REVISIONS
8/08	NRR		

DGS/DRN/CHKD: REB
APPROVED: REW
DATE: 12-2-05

FULTON COUNTY

FULTON COUNTY PUBLIC WORKS
141 PRYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-224-0498

DRAWING NO. 711