DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

WILLIAM S. MIDDLEBROOKS

CHARLES J. THOMAS

GLORIA A. GRIFFIN

ANON FRANCIS

2

EXIST R/W

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

EXISTING TO REMAIN: 4" MEDIUM PRESSURE PLASTIC GAS MAIN

EXISTING TO REMAIN: GAS VALVE

EXISTING TO REMAIN: MEDIUM PRESSURE STEEL GAS MAIN

REYNOLDS ROAD

BEGIN TYPE 2 CURB AND GUTTER STA 122+11.60

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

122+40.74 65'

123+00 55'

123+20 55'

122+90 48'

123+25 48'

ASPHALT

GRAVEL

120+00

15 R

122+24.31

TYPE D CURB CUT RAMP

18'

REMOVE EXISTING PIPE

14'

2' GRASS STRIP

℄ DRIVE 122+99

80°52'08"

℄ DRIVE 123+97

82°42'0"

78.36'

N 58°09'10.7" E

54°50'30"

PROJ. STP-0006-00 (275) BEGIN PROJECT STA. 121+00

STA 121+65.78 SR 166 " STA 10+00.00 REYNOLDS ROAD

BEGIN CONSTRUCTION STA. 122+00

CONST ℄ CAMPBELLTON ROAD/SR 166

STA 122+00 MATCH EXISTING BEGIN TAPER

2' GRASS STRIP

STA 123+50 END TAPER

18'

14'

10.0'

MATCH LINE STA. 124+00

EXIST R/W

123+75 52.80'

123+75 65'

GRAVEL

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

121+56.48 66'

122+00 FF

CAMP CREEK CAPITAL, LLC

1

WILLIAM D. CARLTON

CONSTR. CENTERLINE
FOR: CURVE# 1
PI STA.: 132+56.591
N 1346876.4060
E 2173539.6900
DELTA: 40°01'48.3"
DEGREE: 2°41'01.1"
TAN: 777.711'
LENGTH: 1491.632'
RADIUS: 2135.000'
PC: 124+78.880
PT: 139+70.512
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 339-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-1

3/11/2007 GPLN

...\drawings\05606C01.dgn 8/23/2010 2:29:25 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		



CONSTR. CENTERLINE
FOR:CURVE#1
PI STA.: 132+56.591
N 1346876.4060
E 2173539.6900
DELTA: 40°01'48.3"
DEGREE: 2°41'01.1"
TAN: 777.711'
LENGTH: 1491.632'
RADIUS: 2135.000'
PC: 124+78.880
PT: 139+70.512
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

CAMP CREEK CAPITAL,LLC
1

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-2

3/1/2007 GPLN

...\drawings\05606C02.dgn 8/23/2010 2:29:52 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		



PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3199 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-3

3/11/2007 GPLN

...\drawings\05606C03.dgn 8/23/2010 2:30:16 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		



PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 325-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-4

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

CONSTR. CENTERLINE
FOR:CURVE #2
PI STA.: 149+79.419
N 1346622.1060
E 2175308.1180
DELTA: -61°33'12.6"
DEGREE: 6°46'21.2"
TAN: 503.852'
LENGTH: 908.867'
RADIUS: 846.00'
PC: 144+75.567
PT: 153+84.435
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

LINDA B. BRYANT
15

E. ALANI & VICKIE OGUNLADE
17

LOUIS JR. & MARGARET FRANKS
20

ELAINE WIMBERLY
14

RICKEY & PATRICIA WASHINGTON
16

MARK & SANDRA PARKS
18

SANDTOWN BAPTIST CHURCH
19

MATCH LINE STA. 142+00

MATCH LINE STA. 148+00

CAMPBELLTON ROAD/SR 166

CONST ℄

EXIST R/W

EASEMENT FOR CONSTRUCTION OF SLOPES

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR

TRACT 1

TRACT 2

24" PIPE

REMOVE EXISTING PIPE

2' GRASS STRIP

CONCRETE

ASPHALT

POLE

BEGIN TAPER 144+75.57

PC 144+75.567

145+00

℄ DRIVE 142+32

℄ DRIVE 142+89

℄ DRIVE 143+63

℄ DRIVE 144+70

℄ DRIVE 145+70

℄ DRIVE 146+33

℄ DRIVE 147+95

505.056'

77°21'42"

85°33'28"

68°04'49"

68°36'58"

C-1

C-2

C-3

C-4

142+50 75'

142+95.06 75'

142+50 45'

143+10 45'

144+00 40'

144+35 40'

144+75 40'

144+60 55'

146+00 45'

146+50 45'

147+00 41.34'

147+70 55'

147+70 42.01'

147+94.60 42.19'

147+97.19 55'

142+15 50'

142+15 65'

142+56.16 65'

143+50 50'

143+50 60'

143+90 60'

143+90 50'

144+00 50'

144+50 60'

144+75.57 60'

145+00 60'

146+15 39.85'

146+24.59 55'

146+55 39.84'

146+50 39.32'

146+55 55'

147+00 46'

147+50 38.16'

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 450
Norcross, Georgia 30071
(404) 328-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-5

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

CONSTR. CENTERLINE
FOR:CURVE #2
PI STA.: 149+79.419
N 1346622.1060
E 2175308.1180
DELTA: -61°33'12.6"
DEGREE: 6°46'21.2"
TAN: 503.852'
LENGTH: 908.867'
RADIUS: 846.00'
PC: 144+75.567
PT: 153+84.435
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

LOUIS JR.& MARGARET FRANKS 20

DAVID JACKSON

JOHN L.WILLIAMS,JR. 23

WILLIE H. BALLARD ETAL 25

CHESTINA SHARP 27

PT 153+84.435

MATCH LINE STA. 148+00

MATCH LINE STA. 154+00

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

150+00

150+30 70'

150+30 56.87'

150+00 50'

150+70 70'

150+70 64.33'

ASPHALT

151+70 40.82'

151+70 95'

151+70 75'

REQ'D R/W

RIP RAP

24" PIPE

D-7

18" PIPE

EXIST R/W

D-1

D-6

D-5

152.25 95'

152.25 90'

152.25 42'

152.65 85'

153.15 71.65'

153.35 80'

153.80.25 42'

153.65 55'

153.59.63 65'

153.90 65.55'

ASPHALT

BRICK WALL

GRAVEL

REQ'D R/W 18" PIPE

14'

20'

10'

END TAPER 150+24.65

24" REMOVE EXISTING PIPE

14' 2' GRASS STRIP

℄ DRIVE 153+65

68°41'58"

66°53'23"

80°19'39"

℄ DRIVE 153+13

℄ DRIVE 148+86

℄ DRIVE 149+37

BEGIN TAPER 149+37.67

22'

18'

REMOVE EXISTING PIPE

TIE INTO EXISTING CURB AND GUTTER STA 149+55.45

CURVE #2

℄ DRIVE 150+51

CAMPBELLTON ROAD/SR 166

CONST ℄

TIE INTO EXISTING SIDEWALK RAMP STA 152+93.50

END SIDEWALK TAPER 152+90

BEGIN SIDEWALK TAPER 152+75

STA.153+70.94 SR 166+ STA.10+00.00 SANDTOWN MIDDLE SCHOOL ENTRANCE

80' R

91.1' R

TIE INTO EXISTING SIDEWALK RAMP BEGIN TAPER STA 153+75.01

153.80 54.88'

WATER 153+68.61 70'

148+15 37.69'

TRACT 2

150+50 50'

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

149+00 55'

149+00 70'

CHURCH SIGN NOT TO BE DISTURBED

149+25.89 55'

149+27.79 50'

149+20.34 70'

149+60 70'

SANDTOWN BAPTIST CHURCH 19

149+80 50'

150+12 37.68'

150+50 50'

RETAIN EXISTING CURB AND GUTTER

2' GRASS STRIP

STA 151+00 TO STA 153+00. REPLACE ONE ROW OF LANDSCAPING

REQ'D R/W

EXIST R/W

CHURCH SIGN NOT TO BE DISTURBED

150+95 53'

151+00 60'

ADJUST JUNCTION BOX TO GRADE

151+30 60'

151+50.91 53'

152+00 75'

152+50 58.59'

SANDTOWN BAPTIST CHURCH 22

SANDTOWN BAPTIST CHURCH 24

FULTON COUNTY BOARD OF EDUCATION 26

FULTON COUNTY BOARD OF EDUCATION 29

SANDTOWN MIDDLE SCHOOL ENTRANCE

EXIST R/W

EXIST R/W

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-6

3/1/2007 GPLN

...\drawings\05606C06.dgn 8/23/2010 2:30:58 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

WILLIE H. BALLARD ETAL
25

RUFUS SHARP
27

ELEAN B. STEVENSON
28

JOHN & QUEEN PICKENS
32

OLYMPUS SERVICING, LP

CONSTR. CENTERLINE
FOR:CURVE #3
PI STA.: 156+52.051
N 1347241.2170
E 2175768.4060
DELTA: -2°51'51.1"
DEGREE: 5°43'51.8"
TAN: 24.994'
LENGTH: 49.977'
RADIUS: 999.741'
PC: 156+27.057
PT: 156+77.034
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PARCEL 32 NOTE:
TEMPORARY FENCE REQUIRED
DURING CONSTRUCTION TO
CONTAIN LIVESTOCK OR ANIMALS

MATCH LINE STA. 154+00

155+00

PC 156+27.057

PT 156+77.034

155+11.50 89'
155+32 80'
155+50 85'
156+00 80'
156+27.06 80'
156+77.03 80'
158+50 80'

TRACT 1
155+04.50 71.62'
154+50 55'
154+95 48.04'
155+19 48.51'

TRACT 2

EXISTING TO REMAIN
6" MEDIUM PRESSURE
STEEL GAS MAIN

EASEMENT FOR CONSTRUCTION
AND MAINTENANCE OF SLOPES

ASPHALT

159+15 50'
159+15 50'

STA 159+50
BEGIN TY 4
CURB

TYPE 4
HEADER CURB

EXIST R/W

10'

D-4

18" PIPE

2' GRASS STRIP

BEGIN TAPER
156+92.44

24'

D-3

18"

REMOVE
EXISTING
PIPE

18" PIPE

498.387'

N 36°37'46.4" E

242.623'

N 33°45'55.2" E

CAMPBELLTON ROAD/SR 166

CURVE #3

CONST ℄

℄ DRIVE
158+90

END SIDEWALK
TAPER 154+20.39

91.4' R

80' R

BEGIN 2' GRASS STRIP
STA 154+29.15

2' GRASS STRIP

RETAIN EXISTING
CURB AND GUTTER

18" PIPE

E-4

E-3

TIE INTO EXISTING
SIDEWALK
STA 159+19

10'

EXIST R/W

RECD R/W

154+15 45'

154+50 50'

154+07 55'

E-1

EASEMENT FOR CONSTRUCTION
AND MAINTENANCE OF SLOPES

156+27.06 45'

156+27.06 50'

E-5

156+50 50'

156+55 45'

157+50 65'

157+70 42.23'

158+00 60'

158+52 44.16'

MATCH LINE STA. 160+00

FULTON COUNTY
30

FULTON COUNTY
31

FULTON COUNTY
33

FULTON COUNTY
BOARD OF EDUCATION
29

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-7

3/1/2007 GPLN

...\drawings\05606C07.dgn 8/23/2010 2:31:13 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

CONSTR. CENTERLINE
FOR:CURVE #4
PI STA.: 164+23.000
N 1347882.1320
E 2176196.9000
DELTA: -2°22'07.0"
DEGREE: 0°28'42.3"
TAN: 247.579'
LENGTH: 495.088'
RADIUS: 11976.034'
PC: 161+75.421
PT: 166+70.509
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

AMOS AJO

PARCEL 35 NOTE:
CONTRACTOR SHALL WORK AROUND EXISTING FENCE AND ELECTRONICS IN THE DRIVEWAY

SEAN STONEY
35

INTERNATIONAL ASSET MANAGEMENT
36

OLYMPUS SERVICING, LP

PC 161+75.421

STA 160+50
END TY 4 CURB

TYPE 4 HEADER CURB

EXIST R/W

163.35
50'

163.35
37.14'

163.00
33.84'

TRACT 1

ASPHALT

163.75
50'

163.75
40.79'

EASEMENT FOR CONSTRUCTION OF SLOPES

EXIST R/W

F-1

164.00
43'

164.43
34.22'

POST

TRACT 2

ASPHALT

166.00
75'

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF DRAINAGE

165+00

EXISTING TO REMAIN:
6" MEDIUM PRESSURE STEEL GAS MAIN

164.53
34.24'

POST

MATCH LINE STA. 160+00

12'

END TAPER
160+28.22

D-2

10'

2' GRASS STRIP

REMOVE EXISTING PIPE

20'

REMOVE EXISTING PIPE

14'

℄ DRIVE
163+54

℄ DRIVE
164+84

CONST ℄ CURVE #4 CAMPBELLTON ROAD/SR 166

MATCH LINE STA. 166+00

18"

ASPHALT

EXIST R/W

FULTON COUNTY
33

FULTON COUNTY BOARD OF EDUCATION

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 538-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-8

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

CONSTR. CENTERLINE
FOR:CURVE #4
PI STA.: 164+23.000
N 1347882.1320
E 2176196.9000
DELTA: -2°22'07.0"
DEGREE: 0°28'42.3"
TAN: 247.579'
LENGTH: 495.088'
RADIUS: 11976.034'
PC: 161+75.421
PT: 166+70.509
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

INTERNATIONAL ASSET MANAGEMENT
36

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF DRAINAGE

PT 166+70.509

THOMAS CLEANING SERVICE INC.
37

PARCEL 37 NOTE:
PROPERTY OWNER WILL KEEP ANY TREES TAKEN DOWN ON THEIR PROPERTY AS A RESULT OF THIS PROJECT

PARCEL 38 NOTE:
PROPERTY OWNER WILL KEEP ANY TREES TAKEN DOWN ON THEIR PROPERTY AS A RESULT OF THIS PROJECT

THOMAS CLEANING SERVICE,INC.
38

EXISTING TO REMAIN:
6" MEDIUM PRESSURE STEEL GAS MAIN

166+20 75'
166+55 65'
166+55 34.49'
168+00 65'
168+59 34.79'
168+75 40'
169+50 60'
170+00
170+16 56'
171+45 40'
171+51 53'
171+65 35.92'
171+95 36.94'
166+70.51 65'

EASEMENT FOR CONSTRUCTION OF SLOPES

RIP RAP
F-3
RETN R/W
RWM
18" PIPE
REQUIRED FENCE
EXIST R/W
REQ'D R/W
ASPHALT
POST
10.0'
26' R
25' R
END TAPER 168+77.69
BEGIN TAPER 171+45.18
G-2
F-4
12'
BEGIN TAPER 168+39.92
2' GRASS STRIP
10'
23'
166+20 34.45'
F-2
REMOVE EXISTING HEADWALL
℄ DRIVE 169+11
℄ DRIVE 170+40
N 31°23'48.3" E
827.628'

MATCH LINE STA. 166+00

CURVE #4
CONST ℄
CAMPBELLTON ROAD/SR 166

MATCH LINE STA. 172+00

RETAIN EXISTING CURB AND GUTTER

EXIST R/W
ASPHALT
POST
POST POLE
18"

FULTON COUNTY BOARD OF EDUCATION

FULTON COUNTY

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
2189 Holcomb Bridge Road
Suite 450
Norcross, Georgia 30071
(404) 238-0900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-9

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

PARCEL 41 NOTE:
CONTRACTOR SHALL WORK AROUND EXISTING FENCE

PARCEL 42 NOTE:
ANY DISTURBED FENCE SHALL BE REPLACED IN KIND OR RESET TEMPORARY FENCE REQUIRED DURING CONSTRUCTION TO CONTAIN LIVESTOCK OR ANIMALS

PARCEL 44 NOTE:
ANY DISTURBED FENCE SHALL BE REPLACED IN KIND OR RESET TEMPORARY FENCE REQUIRED DURING CONSTRUCTION TO CONTAIN LIVESTOCK OR ANIMALS

OWL ROCK METHODIST CHURCH
39

CHARLES JOSEPH, II

RANDY & ALFREDA YOUNG
42

CHARLES F. EASELY JR. & SHAWN L. GARRISON
44

JOHN H. BLUE
45

THOMAS CLEANING SERVICE, INC.
38

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

RIP RAP

EXIST R/W

175+00

175+66
47'

177+11
48'

177+45
47.75'

177+50
55'

177+70
55'

177+75
48.80'

172+60
40.29'

172+60
50'

172+22.40
50'

172+28.88
38.62'

18" PIPE

G-4

G-3

10'

2' GRASS STRIP

12'

CAMPBELLTON ROAD/SR 166

CURVE #5

BEGIN TYPE 2 CURB AND GUTTER AND 4' SIDEWALK STA 175+41

21.6'

BEGIN TAPER STA 175+90.12

16' ℄ DRIVE 177+60

℄ DRIVE 177+38

14'

H-3

POS

REMOVE EXISTING PIPE

86°34'07"

16'

2' END TAPER 172+01.55

℄ DRIVE 172+45

CONST ℄

MATCH LINE STA. 172+00

RETAIN EXISTING CURB AND GUTTER

18'

EXIST R/W

EXISTING PERMANENT CONST ESMT

ASPHALT

PC 174+98.137

DO NOT DISTURB FENCE ON PAR 40

EXISTING PERMANENT CONST ESMT

EXIST R/W

ASPHALT

MATCH LINE STA. 178+00

177+70
50'

178+00
60'

CAROL ANN DELOATCH

LINDA L. BRITTIAN

HOUSE

FULTON COUNTY

FREDERICK L. CRENSHAW JR.
43A

CONSTR. CENTERLINE
FOR: CURVE #5
PI STA.: 184+05.836
N 1349574.7020
E 2177229.9170
DELTA: 90°59'58.8"
DEGREE: 6°25'23.9"
TAN: 907.699'
LENGTH: 1416.712'
RADIUS: 891.999'
PC: 174+98.137
PT: 189+14.849
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
5189 Holcomb Bridge Road
Suite 450
Norcross, Georgia 30071
(404) 238-9800

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-10

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

EXIST R/W

JOHN H. BLUE
45

EXIST R/W

50' WATER AND POWER EASEMENT

OM VENTURES, LLC
46

EXISTING TO REMAIN
6" MEDIUM PRESSURE
STEEL GAS MAIN

EXIST R/W

EXIST R/W

NEW HOPE RD

EXISTING
6" MEDIUM
STEEL GAS

PINNACLE INVESTMENT
GROUP, LLC
48

TIE INTO EXISTING
CURB AND GUTTER
STA 180+19.03

180+00

179+85.85
50'

EASEMENT FOR
CONSTRUCTION
AND MAINTENANCE
OF SLOPES

179+14.58
Cm 167.99'
LT

EASEMENT FOR CONSTRUCTION
OF SLOPES

SIGN
DO NOT DISTURB

TELEPHONE

181+95
67.07'

182+05.04
85.43'

TIE INTO EXISTING
CURB AND GUTTER
STA 182+60.14

182+98.37
56'

183+06
56'

183+25
65'

EASEMENT FOR CONSTRUCTION OF
SLOPES STEEL GAS M

180+70
50'

180+80
40.50'

181+49
40.63'

181+83
52'

181+68
40.67'

EXIST R/W

TYPE B
CURB CUT RAMP

SIGN

POST

BOAT ROCK ROAD

60' R

78°50'04"

STA. 182+46.38
SR 166
STA. 10+00
BOAT ROCK ROAD

183+11.43

38'

CONCRETE

CONCRETE

TYPE A
CURB CUT RAMP

TYPE A
CURB CUT RAMP

RETAIN EXISTING
CURB AND GUTTER

2' GRASS STRIP

TYPE D
CURB CUT RAMP

10'

12'

179+88.51

CURVE #5

PROJECT MIDPOINT
STA. 180+50

H-4

2' GRASS STRIP

12'

REMOVE
EXISTING
PIPE

14'

℄ DRIVE CAMPBELLTON ROAD/SR 166
181+98

℄ DRIVE
183+45

2' GRASS STRIP

CONST ℄

66°42'13"

℄ DRIVE
179+62

14'

END TAPER
STA. 178+62.53

12'

10'

EXIST R/W

H-6

STA. 184+00

MATCH LINE STA. 178+00

18" PIPE

GRAVEL

REMOVE
EXISTING
PIPE

181+80
39.31'

CONCRETE

182+15
39.23'

182+15
50'

181+80
50'

18" PIPE

182+68
39.12'

24"
PIPE

179+00
39.77'

EASEMENT FOR CONSTRUCTION
AND MAINTENANCE OF SLOPES

183+77.79
47.01'

EASEMENT FOR CONSTRUCTION
AND MAINTENANCE OF DRAINAGE

178+00
60'

CONSTR. CENTERLINE
FOR: CURVE #5
PI STA.: 184+05.836
N 1349574.7020
E 2177229.9170
DELTA: 90°59'58.8"
DEGREE: 6°25'23.9"
TAN: 907.699'
LENGTH: 1416.712'
RADIUS: 891.999'
PC: 174+98.137
PT: 189+14.849
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

ALBERT THOMPSON

FREDERICK L. CRENSHAW JR.
43A

EARLINE W. GIBB
47

RECD R/W

183+77.43
100'

RECD
R/W

RON FRIESON
49

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR

BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-11

3/1/2007 GPLN

...\drawings\05606C11.dgn 8/23/2010 2:32:16 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

FELLOWSHIP OF FAITH CHURCH INTERNATIONAL
50

PINNACLE INVESTMENT GROUP, LLC
48

RON FRIESON
49

J. B. HAMMOND
51

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

TRACT 1

TRACT 2

EXIST R/W

CONST ℄ CURVE #5

CAMPBELLTON ROAD/SR 166

N 122°23'47.0" E 59.685' CURVE #6

MATCH LINE STA. 184+00

MATCH LINE STA. 190+00

184+69.73
65'

184+25
54'

185+63
41.64'

185+00

189+30
42.62'

ASPHALT

2' GRASS STRIP

12'

10'

END TAPER
185+16.32

BEGIN TAPER
184+60.39

24.2'

40'

℄ DRIVE
184+34

77°44'57"

℄ DRIVE
187+80

℄ DRIVE
188+10

77°57'33"

20'

16'

H-5

H-7

186+00
38.25'

18" PIPE

185+50
47'

184+50
38.67'

184+50
47'

184+50
100'

RIP RAP

RECD R/W

187+50
37.81'

187+50
60'

188+03.09
60'

188+04.97
65'

187+97.59
45'

188+30
60'

188+40
45'

189+00
45'

PT 189+14.849

189+60
49.84'

189+74.53
51'

189+65
75'

GRAVEL

PC 189+74.53

CONSTR. CENTERLINE
FOR:CURVE #5
PI STA.: 184+05.836
N 1349574.7020
E 2177229.9170
DELTA: 90°59'58.8"
DEGREE: 6°25'23.9"
TAN: 907.699'
LENGTH: 1416.712'
RADIUS: 891.999'
PC: 174+98.137
PT: 189+14.849
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

CONSTR. CENTERLINE
FOR:CURVE #6
PI STA.: 189+96.586
N 1349044.5880
E 2178065.3590
DELTA: 2°31'34.3"
DEGREE: 5°43'43.7"
TAN: 22.052'
LENGTH: 44.096'
RADIUS: 1000.134'
PC: 189+74.534
PT: 190+18.630
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 339-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-12

3/11/2007 GPLN

...\drawings\05606C12.dgn 8/23/2010 2:32:32 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

FELLOWSHIP OF FAITH CHURCH INTERNATIONAL
50

SAMANTHA R. STEWART

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF DRAINAGE

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EXISTING TO REMAIN: MEDIUM PRESSURE STEEL GAS MAIN

190+00

MATCH LINE STA. 190+00

190·41
60'

TRACT 2

192·30
40.15'

193·46
40.17'

TRACT 3

195·55 TRACT 4
50.60'

195·55
40.22'

195+00

MATCH LINE STA. 196+00

EXIST R/W

18" PIPE

10'

1-1

2' GRASS STRIP

12'

1-2

18" PIPE

1-5

REMOVE EXISTING HEADWALL

1-6

CURVE #6

1-7

REMOVE EXISTING PIPE

14'

℄ DRIVE
191·67

CONST ℄

CAMPBELLTON ROAD/SR 166

2' GRASS STRIP

18" PIPE

10'

℄ DRIVE
193·86

81°47'01" REMOVE EXISTING PIPE

16'

12'

18" PIPE

1-13

1-8

EXIST R/W

CONCRETE

REMOVE EXISTING HEADWALL

1-14

REM. EXIST 18" PIPE
REPLACE WITH 24" PIPE

190·18.63
51'

191·50
51'

191·90
51'

193·75
51'

194·22
51'

195·45
39.78'

195·76
39.78'

RIP RAP

195·76
53'

191·50
70'

191·90
70'

193·75
65'

194·14.71
65'

195·00
64'

195·45
59'

REQ'D R/W

195·45
65'

195·76
65'

190·20.92
75'

PT 190+18.630

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

TRACT 1

J. B. HAMMOND
51

CONSTR. CENTERLINE
FOR:CURVE #6
PI STA.: 189+96.586
N 1349044.5880
E 2178065.3590
DELTA: 2°31'34.3"
DEGREE: 5°43'43.7"
TAN: 22.052'
LENGTH: 44.096'
RADIUS: 1000.134'
PC: 189+74.534
PT: 190+18.630
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

LELA BROWN
52

MONTE & JACQUELINE HOWARD
53

TOUCHSTONE ENTERPRISES, LLC
54

TOU

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 450
Norcross, Georgia 30071
(404) 232-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-13

3/1/2007 GPLN

...\drawings\05606C13.dgn 8/23/2010 2:32:46 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

SAMANTHA R. STEWART

ANDRE & MICHELLE ROBINSON

SHARON PRATT & KRISTEN BUTTS

BRENDA H. DENT

RYAN EVA STEWART
57

EXISTING TO REMAIN: 2" MEDIUM PRESSURE PLASTIC GAS MAIN

PARCEL 57 NOTE: CONTRACTOR SHALL WORK AROUND EXISTING FENCE

EXIST R/W

PROMENADE DRIVE

EXIST R/W

200+00

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

END TYPE 2 CURB AND GUTTER STA 9+60.25

REMOVE EXISTING PIPE

TIE INTO EXIST. CURB & GUTTER STA 9+54

EXIST R/W

TYPE D CURB CUT RAMP

REMOVE EXISTING PIPE

18" PIPE

18" PIPE

1-4

10'

25 R

28.5'

201+96.01

TYPE D CURB CUT RAMP

2' GRASS STRIP

STA 201+59.09 SR 166 STA 0+00 PROMENADE DR

90°59'46"

STA 200+75 BEGIN TAPER

16.5'

STA 201+24 END TAPER

201+18.14

25R

1-3

12'

N 124°55'21.4" E

CONST ℄

CAMPBELLTON ROAD/SR 166

12'

REMOVE EXISTING PIPE

℄ DRIVE 201+83 14'

18" PIPE

2' GRASS STRIP

MATCH LINE STA. 196+00

MATCH LINE STA. 202+00

10'

1-12

1-11

OST

EXIST R/W

18" PIPE

198+50 39.72'

199+50 39.70'

TRACT 2

201+10 39.67'

GRAVEL

TRACT 2

TRACT 1

197+51 60'

200+50 53'

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

GEIGER LTD.
55

GLORIA V. OGLETREE
56

CHSTONE ENTERPRISES, LLC
54

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 325-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-14

3/11/2007 GPLN

...\drawings\05606C14.dgn 8/23/2010 2:33:02 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

LOLITA & J'AIMEKA FERRELL
57

ALFRED & MARY ROBINSON
58

STEPHEN SMITH & LORAINNE SANDERS

ANDREA M. PRICE

KIMBERLY F. GATRELL

PARCEL 57 NOTE:
CONTRACTOR SHALL WORK AROUND EXISTING FENCE

PARCEL 58 NOTE:
CONTRACTOR SHALL WORK AROUND EXISTING FENCE

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN EXIST R/W

REMOVE EXISTING PIPE

K-3 K-2 K-1 I-10 I-9

202+50 202.56'

202+30 52.36'

204+60 52.41'

205+00

STA. 202+00

STA. 208+00

MATCH LINE

18" PIPE

BEGIN TAPER 203+69.71

END TAPER 203+88.57

24' 12' 16'

2181.273'

2' GRASS STRIP

℄ DRIVE 203+38 83°22'13" 14'

REMOVE EXISTING PIPE

CONST ℄

℄ DRIVE 204+99 12'

CAMPBELLTON ROAD/SR 166

℄ DRIVE 207+28 20'

10'

POST

EXIST R/W

GRAVEL

203+15 39.62'

203+55 39.62'

203+15 60'

203+55 60'

204+88.45 39.59'

204+89.70 50'

205+13 39.58'

205+13 50'

CONCRETE

S S J DEVELOPMENT COMPANY LLC

GLORIA V. OGLETREE
56

KITEFRE & ATIM OBOHO
59B

SHAKOORA R. OMONUWA

EXISTING TO REMAIN: 2" GAS VALVE

EXISTING TO REMAIN: 2" MEDIUM PRESSURE PLASTIC GAS MAIN

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
5169 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 258-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-15

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		



CONSTR. CENTERLINE
FOR: CURVE #7
PI STA.: 215+01.824
N 1347610.4120
E 2180119.4750
DELTA: 13°16'40.5"
DEGREE: 2°12'31.7"
TAN: 301.921'
LENGTH: 601.137'
RADIUS: 2593.977'
PC: 211+99.903
PT: 218+01.039
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
5109 Holcomb Bridge Road
Suite 405
Norcross, Georgia 30071
(404) 538-5800

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-16

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		



CONSTR. CENTERLINE
FOR:CURVE #7
PI STA.: 215+01.824
N 1347610.4120
E 2180119.4750
DELTA: 13°16'40.5"
DEGREE: 2°12'31.7"
TAN: 301.921'
LENGTH: 601.137'
RADIUS: 2593.977'
PC: 211+99.903
PT: 218+01.039
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 450
Norcross, Georgia 30071
(404) 538-2900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-17

3/1/2007 GPLN

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

KENNETH A. STANDRIDGE

TRADANELLE ENTERPRISES, INC.

JESSE P. REED
73

RONALD LEWIS
74

CORNERSTONE COMMUNITY BAPTIST CHURCH, INC.
76

EXISTING TO REMAIN: 2" MEDIUM PRESSURE STEEL GAS MAIN

EXIST R/W

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

EASEMENT FOR CONSTRUCTION OF SLOPES

END TAPER MATCH EXISTING 225+01.13

TIE INTO EXISTING CURB AND GUTTER STA 225+05.41

BEGIN TAPER 224+92.53

END TYPE 2 CURB AND GUTTER STA 221+39.15

BEGIN TYPE 2 CURB AND GUTTER STA 221+63.04

TYPE D CURB CUT RAMP

TYPE A CURB CUT RAMP

TYPE A CURB CUT RAMP

NORTH DRIVE

STA. 221+57.80 SR 166 STA. 10+00 NORTH DRIVE

N 138°12'01.8" E

1123.144'

CONST ℄ CAMPBELLTON ROAD/SR 166

2' GRASS STRIP

2' GRASS STRIP

℄ DRIVE 42' 223+76

℄ DRIVE 221+56 14'

℄ DRIVE 222+85 18'

℄ DRIVE 224+57

℄ DRIVE 225+76 14'

REMOVE EXISTING PIPE

REMOVE EXISTING PIPES

REMOVE EXISTING PIPE

REMOVE EXISTING PIPE

8°30'07"

53°41'32"

MATCH LINE STA. 220+00

MATCH LINE STA. 226+00

220+00

225+00

221+20.12

222+00.62

224+76.24

220+15.35 53'

220+64.94 55'

221+35 50.45'

221+35 70'

221+80 47.52'

221+80 70'

222+64.92 42'

225+45 39.79'

224+75.00 75'

225+75 75'

225+70 42'

225+60 55'

224+79.34 55'

224+10 40.10'

224+10 55'

223+40 40.05'

223+40 55'

223+75.82 55'

225+64.24 105'

225+90 105'

225+98 83'

R32.25'

40'R

20'R

EXIST R/W

EXIST R/W

EXIST R/W

EXIST R/W

ASPHALT

ASPHALT

ASPHALT RECKD R/W

CONCRETE

CONCRETE

CONCRETE

GRAVEL

RWM

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

PARCEL 72 NOTE:
PROPERTY OWNER WILL KEEP ANY TREES TAKEN DOWN ON THEIR PROPERTY AS A RESULT OF THIS PROJECT

EDDIE JR. & LINDA SMITH
72

JULIUS L. ANDERSON

JULIUS LARS ANDERSON
75

LINDA ALLEN
69

ANITA SMITH
77

N-1

POST

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
3189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No. 13-18

3/1/2007 GPLN

...\drawings\05606C18.dgn 8/23/2010 2:34:08 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

CORNERSTONE COMMUNITY BAPTIST CHURCH, INC.
76

ENOCH & TRENA GAMBLE
79

VERONICA S. TERRY

TONY BERNARD JACKSON
84

SONYA L. WINBORNE
83

ANITA SMITH
77

ANITA SMITH
78

LESTER C. STONE
80

SONYA L. WINBORNE
81

EASEMENT FOR CONSTRUCTION OF SLOPES

TRACT 1
226·83.05
42'

226·90
45.26'

226·95
40.33'

STRUCTURES NOT TO BE DISTURBED

EXIST R/W

RECTD R/W

RECONSTRUCT TOP W/ 1033D (RECESSED BOX)

CONST ℄

MATCH LINE STA. 226+00

BEGIN TAPER
226·75

END TAPER
227·32

23'

12'

14'

℄ DRIVE
227·50

℄ DRIVE
227·23

REMOVE EXISTING PIPE

REMOVE 12" EXISTING PIPE

℄ DRIVE
227·91

℄ DRIVE
228·73

REMOVE EXISTING PIPE

2' GRASS STRIP

CAMPBELLTON ROAD/SR 166

Q-2

Q-3

Q-4

CONCRETE

ASPHALT

226·85.12
55.06'

226·40
83'

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

228·61.25
50'

228·85
50'

228·85
39.52'

PC 229+24.183

229·46.58
45.52'

229·29.99
40.53'

TRACT 2

10.0'

BEGIN TAPER
229·06

STA 229·40
BEGIN TYPE 4
HEADER CURB

END TAPER
229·66

STA 230·54.62

STA 230·70
END TYPE 4
HEADER CURB

230+00

EXISTING TO REMAIN:
6" MEDIUM PRESSURE
STEEL GAS MAIN

END TYPE 2
CURB AND GUTTER
STA 230·83.42

30' R

TYPE D
CURB CUT
RAMPS

87°07'38"

CURVE #8

STA 231·01.52
SR 166"
10·00
SANDCREEK DRIVE

℄ DRIVE
231·64

78°48'25"

231·38
38.74'

231·43.40

14'

EXIST R/W

SANDCREEK DRIVE

EXISTING TO REMAIN:
2" MEDIUM PRESSURE
STEEL GAS MAIN

PARCEL 84 NOTE:
CONTRACTOR SHALL BE RESPONSIBLE FOR PRIVATE PROPERTY DAMAGE AS A RESULT OF THIS PROJECT

BEGIN TYPE 2
CURB AND GUTTER
STA 231·14.22

231·84
50'

231·30.95
56.99'

231·33.84
44'

231·60
65'

231·60
52.89'

231·90
50.50'

231·9
65'

TRACT 1

RECTD R/W

30' R

14'

MATCH LINE STA. 232+00

EASEMENT FOR CONSTRUCTION OF SLOPES

CONSTR. CENTERLINE
FOR: CURVE #8
PI STA.: 232+32.792
N 1346317.9900
E 2181275.0130
DELTA: 25°13'44.0"
DEGREE: 4°09'17.6"
TAN: 308.608'
LENGTH: 607.212'
RADIUS: 1379.001'
PC: 229+24.183
PT: 235+31.395
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
5189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 329-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-19

3/1/2007 GPLN

...\drawings\05606C19.dgn 8/23/2010 2:34:24 PM

DATE$$$ TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$	$$PENTABLE$$		GA	STP-0006-00(275)		

PARCEL 84 NOTE:
CONTRACTOR SHALL BE RESPONSIBLE FOR PRIVATE PROPERTY DAMAGE AS A RESULT OF THIS PROJECT

NG TO REMAIN:
IUM PRESSURE
C GAS MAIN

TONY BERNARD JACKSON
84

KATRINA JACKSON
86

DAVID K.MATTOX
87

ARIC WALKER
89

DENNIS & GAY LABAR
91

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF DRAINAGE

EXISTING TO REMAIN: 6" MEDIUM PRESSURE STEEL GAS MAIN

REMOVE EXISTING PIPE

232·50 RCP 44'
232·65 44'
232·75 41.36'
233·50 60'
234·64 54'
235·65 48.77'
235·65 55'
235·97.99 55'
236·17 47'
236·35 40.62'
236·70 40.57'
236·70 50'
236·95.50 50'
237·10 40.53'
237·10 50'
237·45 40.49'
237·45 50'

TRACT 2
Q-12
Q-13
EXIST R/W
RECD R/W
ASPHALT
CONCRETE
END TAPER 237·41.38

MATCH LINE STA. 232+00

BEGIN TAPER 232·63
END TAPER 233·16
23'
12'
CURVE #8
2' GRASS STRIP
℄ DRIVE 16'
REMOVE EXISTING HEADWALLS
CAMPBELLTON ROAD/SR 166 234·92
BEGIN TAPER 235·31.40
12'
CONST ℄ . 235·91
℄ DRIVE 14'
REMOVE EXISTING PIPE
REMOVE EXISTING PIPES
℄ DRIVE 236·83
℄ DRIVE 237·23
℄ DRIVE 237·49 26'
℄ DRIVE 236·39
BEGIN TAPER 235·31.40
72°44'01"
20'
℄ DRIVE 235·46
℄ DRIVE 232·12 14'
REMOVE EXISTING PIPE
Q-10
Q-9
Q-8
Q-11
EXIST R/W
MATCH LINE STA. 237+50

CONCRETE
232·49 49'
TRACT 1
233·40.83 38.70'
233·40.29 69.01'
233·40 85'
RIP RAP
RECD R/W
233·85 38.78'
234·00 75'
233·85 85'
TRACT 2
235·00 65'
235·00 75'
235·35.05 CP 78'
REMOVE EXISTING PIPE
235·50 65'
236·25 52.23'
236·25 60'
236·60 46.27'
236·60 60'
236·84.27 42.14'
237·25 39.49'
237·25 55'
EASEMENT FOR CONSTRUCTION OF SLOPES
EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES
EASEMENT FOR CONSTRUCTION OF SLOPES

CONSTR. CENTERLINE
FOR:CURVE #8
PI STA.: 232+32.792
N 1346317.9900
E 2181275.0130
DELTA: 25°13'44.0"
DEGREE: 4°09'17.6"
TAN: 308.608'
LENGTH: 607.212'
RADIUS: 1379.001'
PC: 229+24.183
PT: 235+31.395
TRANS. LENGTH: N/A
SUPER ELEV. RATE: N/A

PT 235+31.395

SONYA L.WINBORNE
83

TONY ROYCE & TONY RENE REESE
85

SONYA L.WINBORNE
88

JOHN & FLORENCE McCULLAN
90

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR
BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management
5189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 252-5900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-20

3/1/2007 GPLN

...\drawings\05606C20.dgn 8/23/2010 2:34:37 PM

DATE$$$	TIME$$$	PRF	DGN	STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
$USER$		$$PENTABLE$$		GA	STP-0006-00(275)		

$REF15$
$REF14$
$REF13$
$REF12$
$REF11$

DENNIS & GAY LABARRE
91

VERONICA C. CONLEY
92

WILLIE & VERDEL BARBER

PHYLLIS ALEXANDER

EASEMENT FOR CONSTRUCTION AND MAINTENANCE OF SLOPES

237+50 40.48' TIE INTO EXISTING CURB AND GUTTER STA 237+60.20

238+00 52'

END SIDEWALK STA 238+87

238+50 60'

238+50 50.95'

238+95.40 60'

238+95.45 50'

EXIST R/W

CONCRETE

240+00

CONCRETE

RETAIN EXIST 18" PIPE

0-5

CONCRETE APRON

0-7

0-6

2' GRASS STRIP

RETAIN EXISTING CURB AND GUTTER

RETAIN EXISTING CURB AND GUTTER

℄ DRIVE STA 239+38.87 SR 166 STA 10+00 ENON ROAD

END CONSTRUCTION STA 239+86.79

N 163°25'45.9" E 553.040' 238.73

CONST ℄

END TAPER 238+85.85

15'

84°11'55"

CAMPBELLTON ROAD/SR 166

KC13

MATCH LINE STA. 237+50

26'

2' GRASS STRIP

10'

TYPE D CURB CUT RAMP

35' R

40' R

TYPE A CURB CUT RAMP

EXIST R/W

CONCRETE

238+10 39.59'

238+10 55'

POST

END TYPE 2 CURB AND GUTTER STA 239+23

ENON ROAD

P.I. 240+84.435

JOHN & FLORENCE McCULLAND
90

CHARLENE ROSENBERG

EXIST R/W

PROPERTY AND EXISTING R/W LINE
REQUIRED R/W LINE
CONSTRUCTION LIMITS
EASEMENT FOR CONSTR & MAINTENANCE OF SLOPES
EASEMENT FOR CONSTR OF SLOPES
EASEMENT FOR CONSTR OF DRIVES

EASEMENT FOR CONSTRUCTION OF TEMPORARY TRAFFIC DETOUR

BEGIN LIMIT OF ACCESS.....BLA
END LIMIT OF ACCESS.....ELA
LIMIT OF ACCESS
R/W AND LIMIT OF ACCESS

• Engineering
• Architecture
• Planning
• Construction Management

5189 Holcomb Bridge Road
Suite 455
Norcross, Georgia 30071
(404) 328-8900

SCALE IN FEET
0 20 40 80

DATE	REVISION

FULTON COUNTY
DEPARTMENT OF PUBLIC WORKS

MAINLINE PLAN

DRAWING No.
13-21

$REF16$
$REF17$
$REF18$
$REF19$
$REF20$

3/1/2007 GPLN

...\drawings\05606C21.dgn 8/23/2010 2:45:15 PM