

# **Utility Encroachment Permit Package for Submittals to the Department of Transportation, State of Georgia**

See attachment for the Encroachment Permit submittals. Should you have additional questions, please contact the Fulton County GDOT Permit Coordinators:

Terry Peters @ (404) 612-7485 [Office] / (404) 822-5993 [Mobile]

Cherise Smith @ (404) 612-7810 [Office]



**Fulton County Department of Public Works**

**To All Utility Encroachment Permit Requestors:**

GDOT has changed the way utility permits are processed. Listed below are all the documents needed in order to expedite processing your permit application.

1. Completed Department of Transportation Application and Permit For Utility Facility Encroachment.
2. Completed Permit Application Check-Off List
3. GDOT site map located at their site:

*<http://gis.state.ga.us/emaps/dotmap/>*

Please note that GDOT will no longer be accepting Atlas Site Maps.

4. Plan and Profile view. If applicable indicate bore pit locations and size, receiving pit locations and size, length and casing size, and affected main size and length. Indicate also posted speed limit, distance from the ROW to edge of pavement, and the total ROW distance. Note that GDOT will not accept "ROW Varies".

Once you have all the above mentioned documents please submit your package to:

Terry Peters

Engineer I

(404) 822-5993

(404)612-7485

Terry.Peters@fultoncountyga.gov

Please note that permits can be submitted via email in PDF format.

It normally takes 14 days for GDOT to process applications for Utility Facility Encroachment Permits.

Thank You,

Terry Peters



**DEPARTMENT OF TRANSPORTATION**  
**State of Georgia**  
**Atlanta, Georgia 30334**

**APPLICATION AND PERMIT FOR UTILITY FACILITY ENCROACHMENT**

APPLICATION IS HEREBY MADE TO THE GEORGIA DEPARTMENT OF TRANSPORTATION BY:

(UTILITY - NAME AND ADDRESS)

FOR PERMISSION TO CONSTRUCT, OPERATE AND MAINTAIN THE FOLLOWING DESCRIBED UTILITY FACILITY WITHIN OR FROM THE RIGHT-OF-WAY OF

STATE HIGHWAY NO. \_\_\_\_\_ COUNTY ROAD NO. \_\_\_\_\_ IN \_\_\_\_\_ COUNTY.

DESCRIPTION: \_\_\_\_\_

LOCATION: \_\_\_\_\_

THE UTILITY SHALL COMPLY WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), CURRENT EDITION. IT IS ANTICIPATED THAT THE TEMPORARY TRAFFIC CONTROL UTILIZED FOR THIS INSTALLATION WILL BE IN ACCORDANCE WITH ONE OF THE FOLLOWING:

- MUTCD PART 6 - TYPICAL APPLICATION PLAN       DETAILED TRAFFIC CONTROL PLAN (ATTACHED)       COMBINATION TYPICAL APPLICATION & DETAIL TRAFFIC CONTROL PLAN (ATTACHED)

THE UTILITY FACILITIES COVERED HEREBY SHALL BE INSTALLED IN ACCORDANCE WITH THE PLANS ATTACHED HERETO AND MADE A PART HEREOF. UTILITY AGREES TO COMPLY WITH AND BE BOUND BY THE DEPARTMENT'S UTILITY ACCOMMODATION POLICY AND STANDARDS, CURRENT EDITION, ON FILE IN THE GENERAL OFFICE OF THE DEPARTMENT OF TRANSPORTATION, MADE A PART HEREOF BY REFERENCE, AND ALL GENERAL PROVISIONS AND SPECIAL PROVISIONS SHOWN ON THE REVERSE HEREOF, OR ATTACHED HERETO, DURING THE INSTALLATION, OPERATION AND MAINTENANCE OF SAID UTILITY FACILITIES WITHIN OR FROM THE RIGHT-OF-WAY.

I THE UNDERSIGNED, DO HEREBY CERTIFY THAT I AM A DULY ELECTED, OR APPOINTED, QUALIFIED, AUTHORIZED REPRESENTATIVE OF SAID UTILITY.

PERMIT REQUESTED THIS \_\_\_\_\_ DAY OF \_\_\_\_\_ 20\_\_\_\_

BY: \_\_\_\_\_  
(SIGNATURE - BLUE INK)

WITNESS TO SIGNATURE: \_\_\_\_\_

(TYPED NAME)

(TITLE & PHONE NUMBER)

PERMISSION IS GRANTED FOR THE ABOVE DESCRIBED UTILITY FACILITY ENCROACHMENT IN ACCORDANCE WITH THE PLANS AND PROVISIONS HEREOF.

THIS PERMIT IS TO BE STRICTLY CONSTRUED AND NO WORK OTHER THAN THAT SPECIFICALLY DESCRIBED ABOVE IS HEREBY AUTHORIZED.

PERMIT GRANTED THIS \_\_\_\_\_ DAY OF \_\_\_\_\_ 20\_\_\_\_

BY: \_\_\_\_\_  
(DISTRICT ENGINEER)

DISTRIBUTION AFTER APPROVAL	(TO BE COMPLETED BY DOT DISTRICT OFFICE)
ORIGINAL - DOT GENERAL OFFICE	DISTRICT NO. _____ COUNTY _____
COPY - UTILITY	STATE ROUTE NO. _____ U.S. _____ CO. RD. NO. _____
COPY - DOT DISTRICT OFFICE	PROJECT NO. _____ ACTIVE _____ UNDER CONSTR. _____
COPY - DOT FIELD INSPECTOR	PERMIT NO. _____

GENERAL PROVISIONS

IT IS EXPRESSLY STIPULATED THAT THIS PERMIT IS A LICENSE FOR PERMISSIVE USE ONLY AND THE PLACING OF UTILITY FACILITIES UPON PUBLIC PROPERTY PURSUANT TO THIS PERMIT SHALL NOT OPERATE TO CREATE OR VEST ANY PROPERTY RIGHT IN THE HOLDER.

WHENEVER NECESSARY FOR THE CONSTRUCTION, REPAIR, IMPROVEMENT, MAINTENANCE, SAFE AND EFFECTIVE OPERATION, ALTERATION OR RELOCATION OF ALL OR ANY PORTION OF THE HIGHWAY, AS DETERMINED BY THE DEPARTMENT, ANY OR ALL OF SAID FACILITIES AND APPURTENANCES AUTHORIZED HEREUNDER SHALL BE IMMEDIATELY REMOVED FROM THE RIGHT-OF-WAY, OR RESET OR RELOCATED THEREON, AS REQUIRED BY THE CHIEF ENGINEER, AND AT THE SOLE EXPENSE OF THE UTILITY UNLESS REIMBURSEMENT IS AUTHORIZED BY SEPARATE AGREEMENT. SHOULD THE UTILITY FAIL TO REMOVE OR RELOCATE ITS FACILITIES, UPON DUE NOTICE FROM THE DEPARTMENT, THE UTILITY SHALL BE LIABLE FOR ANY EXTRAORDINARY COSTS OR DAMAGES INCURRED BY THE DEPARTMENT AS A RESULT THEREOF.

IF THE DEPARTMENT UNDERTAKES TO IMPROVE THIS HIGHWAY IT SHALL BE THE RESPONSIBILITY OF THE UTILITY TO PLAN WITH THE DEPARTMENT AND ITS CONTRACTOR A SCHEDULE WHICH WILL CLEARLY SET FORTH AT WHICH STAGE OF OPERATIONS THE UTILITY WILL BE REQUIRED TO PERFORM ANY ADJUSTMENT TO ITS FACILITIES NECESSARY TO ACCOMMODATE THE HIGHWAY IMPROVEMENTS.

DURING THE INITIAL INSTALLATION OR CONSTRUCTION OF FACILITIES AUTHORIZED BY THIS PERMIT, OR DURING ANY FUTURE REPAIR, REMOVAL OR RELOCATION THEREOF OR ANY MISCELLANEOUS OPERATIONS, THE UTILITY SHALL, AT ALL TIMES, MAINTAIN FLAGMEN, SIGNS, LIGHTS, FLARES, BARRICADES, AND OTHER SAFETY DEVICES IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES, CURRENT EDITION, AND AS MAY BE NECESSARY TO PROPERLY PROTECT TRAFFIC UPON THE HIGHWAY AND TO WARN AND SAFEGUARD THE PUBLIC AGAINST INJURY OR DAMAGE.

IT IS EXPRESSLY PROVIDED THAT WITH RESPECT TO ANY LIMITED ACCESS HIGHWAY, THE UTILITY SHALL NOT HAVE OR GAIN DIRECT ACCESS, EITHER INGRESS OR EGRESS, FROM THE MAIN TRAVELED WAY OF SAID HIGHWAY OR ITS ON OR OFF RAMP TO ANY FACILITIES AUTHORIZED BY THE PERMIT EXCEPT UPON SPECIFIC APPROVAL BY THE DEPARTMENT.

IT IS THE UTILITY'S RESPONSIBILITY TO VERIFY THE LIMITS OF RIGHT-OF-WAY FOR LOCATION OF THE UTILITY FACILITIES AUTHORIZED HEREBY.

NO INHERENT OR RETAINED RIGHT OR PRIVILEGE OF ANY ABUTTING PROPERTY OWNER IS AFFECTED BY THIS PERMIT NOR IS THE DEPARTMENT RESPONSIBLE FOR ANY CLAIM WHICH MAY DEVELOP BETWEEN THE UTILITY AND ANY PROPERTY OWNER CONCERNING USE OF THE RIGHT OF WAY. THE UTILITY IS RESPONSIBLE FOR MAINTAINING REASONABLE ACCESS TO PRIVATE DRIVEWAYS DURING INSTALLATION OF ITS FACILITIES AND FOR RESTORATION OF DRIVEWAYS TO THE PROPERTY OWNER'S SATISFACTION.

APPROVAL OF THIS PERMIT DOES NOT CONSTITUTE APPROVAL OF DESIGN OR CONSTRUCTION DETAILS FOR THE PROPOSED UTILITY FACILITIES. THE UTILITY IS RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE GOVERNMENTAL CODES AND REGULATIONS.

USE OF EXPLOSIVES WITHIN THE RIGHT OF WAY IS PROHIBITED UNLESS APPROVED BY SEPARATE PERMIT.

THE UTILITY SHALL GIVE THE DEPARTMENT A MINIMUM OF 24 HOURS NOTICE PRIOR TO BEGINNING ANY WORK UNDER THIS PERMIT.

THIS PERMIT SHALL BE VOID UNLESS WORK HEREUNDER IS BEGUN WITHIN TWELVE (12) MONTHS OF THE DATE OF ITS APPROVAL.

THE PROVISIONS OF THIS PERMIT ARE REGULATORY AND NOT CONTRACTUAL. NO INTEREST OR RIGHT OF A UTILITY GRANTED BY THIS PERMIT MAY BE TRANSFERRED TO ANOTHER EXCEPT BY WRITTEN CONSENT OF THE DEPARTMENT.

THIS PERMIT MAY BE REVOKED AT THE PLEASURE OF THE DEPARTMENT UPON THIRTY (30) DAYS WRITTEN NOTICE TO THE UTILITY.

<u>FOR DEPARTMENT USE ONLY</u>	<u>FOR DEPARTMENT USE ONLY</u>

THE INSTALLATION COVERED BY THIS PERMIT HAS BEEN COMPLETED IN ACCORDANCE WITH THE PROVISIONS OF THE PERMIT AND THE PLANS ATTACHED HERETO.

DATE: \_\_\_\_\_ SIGNED: \_\_\_\_\_  
(DEPARTMENT OF TRANSPORTATION)

MINIMUM INFORMATION REQUIRED FOR A UTILITY PERMIT APPLICATION

I. APPLICATION FORM

- \_\_\_ 1. Name, address and phone number of applicant (Utility Co. or Government Entity)
- \_\_\_ 2. State Route number.
- \_\_\_ 3. County name
- \_\_\_ 4. Description of proposed utility (include size, type, and length)
- \_\_\_ 5. Location (English distance to closest intersecting street)
- \_\_\_ 6. Date (Actual date you mail or deliver permit to our office)
- \_\_\_ 7. Signature and phone number of authorized representative with witness. *Signature and witness must be in blue ink on all four copies of (Vegetation) application.*

II. SUPPORTING DRAWINGS *(All dimensions must be English units)*

A. 8 1/2" X 11" DOT Maps [www.gis.state.ga.us/emaps/dotmaps/](http://www.gis.state.ga.us/emaps/dotmaps/) & Construction Drawings

- \_\_\_ 1. Dimensions of the roadway in English units
  - \_\_\_ a. Right of Way width
  - \_\_\_ b. Pavement (indicate centerline)
  - \_\_\_ c. Distance to curb and/or ditch
  - \_\_\_ d. Show grass plot and sidewalk, if applicable
- \_\_\_ 2. One copy of the D.O.T. Right of Way Plans in order to verify Right of Way Measurements
- \_\_\_ 3. North Arrow
- \_\_\_ 4. Location of proposed installation showing distances to nearest intersecting street
- \_\_\_ 5. Length, size, and type of utility
- \_\_\_ 6. Note whether own forces or contractor will be used. (Indicate name of contractor)
- \_\_\_ 7. Show Posted Speed Limit on Plans

Additional Underground Information

- \_\_\_ 1. Distance of encroachment from edge of pavement or curb and right of way
- \_\_\_ 2. Depth of cover of facility on back-slope & under ditches, shoulders & pavement
- \_\_\_ 3. Details, if attached to bridges or over drainage structures
- \_\_\_ 4. Boring or tunnel (drawing of a detailed cross section)
- \_\_\_ 5. Size and method of repair for pavement cuts
- \_\_\_ 6. Method of installation
- \_\_\_ 7. Detailed explanation for any installation other than in back five feet of the right of way
- \_\_\_ 8. Detailed distances for offset portions of installation
- \_\_\_ 9. Location of fire hydrant, manholes, etc., including distance from pavement and right of way
- \_\_\_ 10. Letter of explanation as to why open cut is necessary rather than boring

Additional Aerial Information

- \_\_\_ 1. Distance from edge of pavement/curb for proposed poles and anchors
- \_\_\_ 2. Overhead clearance for crossings at maximum sag
- \_\_\_ 3. Location of temporary poles
- \_\_\_ 4. Distance from edge of pavement/curb and right of way for existing poles when new conductors or cable are replaced or added
- \_\_\_ 5. Indicate poles to be changed out or eliminated if applicable
- \_\_\_ 6. Cross-sections of the terrain at the proposed new pole location

B. Location sketch from DOT county map with site highlighted or circled (8 1/2 x 11)

C. Traffic Control Plan conforming with MUTCD (8 1/2 x 11)

III. SPECIAL ASSURANCE FORM for utility contract work (8 1/2 x 11). Local Government must get this information from developers when submitting on behalf of the development and the developer's contractor will be doing the installation.

IV. UTILITY ADJUSTMENT SCHEDULE – *Submit when your permit falls within a Department of Transportation project*

V. PERMITS ON GDOT CONSTRUCTION PROJECTS

VI. S

## PERMIT APPLICATION CHECK-OFF LIST

- 1. Milepost #
- 2. Intersecting Street Names: \_\_\_\_\_
- 3. Estimated Work Days \_\_\_\_\_
- 4. Facility Placement: Longitudinal, Crossing, Both, or Non-Applicable
- 5. Does application affect a bridge, wall, culvert, or include construction of a tunnel: Yes or No
- 6. Installation Length: (feet) \_\_\_\_\_

- 7. Minimum Distance from Edge of Travel Lane: (feet) \_\_\_\_\_

Enter negative number for measurements to indicate installation under the pavement based from the edge of pavement

- 8. Maximum Distance from Edge of Travel Lane: (feet) \_\_\_\_\_

Enter negative number for measurement to indicate installation under the pavement based from the edge of pavement

- 9. Service Tap Type: Longside, Shortside, Both or N/A
- 10. Facility Type: Distribution, Transmission, Both
- 11. Pipe Size: (inches) \_\_\_\_\_
- 12. Pipe Material: PCCP(Pre-stressed Concrete Cylinder, Concrete, HDPE, PVC, Plastic, Asbestos Cement, Steel, Terra  
Cotta, Other, Copper, Cast Iron, Corrugated Metal Pipe, PVE, DIP, None-Cathodic Protection Only

- 12b. Specify If The Material is "other" \_\_\_\_\_

- 13. Casing Material: Concrete, HDPE, None, Steel, PVC, Plastic, Fiberglass, Other

- 13b. Specify If Casing Material is "other" \_\_\_\_\_

- 14. Casing Diameter: (inches) \_\_\_\_\_

**Please specify the following details for pipe permit applications:**

15. Main Type: Pressure or Gravity
16. Pressure: (psi) \_\_\_\_\_
17. Valve Quantity \_\_\_\_\_
18. Manhole Quantity \_\_\_\_\_
19. Minimum Depth of Facility : (feet) \_\_\_\_\_
20. Maximum Depth of Facility : (feet) \_\_\_\_\_
21. Number of Test Manholes
22. Underground Construction Type: Auger, Horizontal Directional Drilling, Jack and Bore, Micro Tunneling, Pipe  
Bursting, Plow, Pushing, Trench, Tunneling, Pull, Retention, Open Cut, Insertion, Work to Involve Bridge Only,  
Manhole Work Only
23. Soil Core Survey Included : Yes or No
24. Joint Trench : Yes or No
25. Manhole or Valve Box Quantity
26. Pavement Cutting: Yes or No
27. Number of Lanes Affected : \_\_\_\_\_
28. Area of Pavement Affected : (square feet with dimensions): \_\_\_\_\_
29. Type of Pavement:

**PLEASE ANSWER ALL QUESTIONS. IF A QUESTION IS NON-APPLICABLE, PLEASE PUT N/A**

# **Bonding Requirements Package for Encroachment Permit**

See attachment for the permit bonding requirements. Should you have additional questions, please contact the Fulton County GDOT Permit Coordinators:

Terry Peters @ (404) 612-7485 [Office] / (404) 822-5993 [Mobile]

Cherise Smith @ (404) 612-7810 [Office]



**Fulton County Department of Public Works**

### Bond Checklist

The following information is required in order for a bond to be considered sufficient for admittance as a surety for a GDOT encroachment permit.

Displayed on the bond must be:

1. Name and address of the authorized agent
2. Name and address of the insured
3. Name of insurance company(ies)
4. Description of policies including bond amount
5. Policy number(s)
6. Policy Period(s)
7. Limits of liability
8. Project number and name or GDOT permit number
9. Signature of authorized agent
10. Telephone number of authorized agent
11. Mandatory 30 days notice to Fulton County Representative of cancellation/non-renewal.
12. Raised seal or stamp assuring bond authenticity.

Should any of the before mentioned information be missing the bond is subject to being disqualified as a proper surety.



**FYI**

Department of Public Works  
141 Pryor Street S. W.  
Suite 6001  
Atlanta, GA 30303  
Telephone: (404)730-7400  
Fax: (404)224-0978

Angela Parker  
Director

July 31, 2007


Georgia Department of Transportation  
Traffic Operations  
5025 New Peachtree Road  
Chamblee, GA. 30341

**Subject: Bonding Requirements for Encroachment Permits**

Dear Sirs:

This is to advise that Fulton County Department of Public Works agrees to comply with all stipulations, requirements and specifications, and accepts responsibility for the satisfactory completion and construction activities of any and all permit numbers assigned between the above dates which the Georgia Department of Transportation approves and issues to Fulton County Department of Public Works. Approved permits are to authorize Fulton County Department of Public Works forces to perform certain construction work as described therein with the Right of Way of any highway, road or street under Georgia DOT jurisdiction within Fulton County, at any location requiring a permit from the Georgia DOT. If any other forces other than Fulton County Department of Public Works perform work prescribed, proof of a bond in place to cover minimum requirement of Georgia DOT will be required. A copy of this letter shall be provided with each permit request, where the forces of Local Government are performing the work.

Sincerely,

  
\_\_\_\_\_  
Angela Parker

  
\_\_\_\_\_  
Title

**UTILITY ENCROACHMENT PERMIT PERFORMANCE BOND**

No contract with Fulton County for work to be done shall be valid for any purpose unless the Contractor provides a Performance Bond with good and sufficient surety payable to, in favor of, and for the protection of Fulton County. The Performance Bond shall be in the amount of 100% of the total contract amount, payable by the terms of the Contract, and shall be written on the following form.

Surety companies executing Bonds must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business as a surety in Georgia.

Attestation for the corporation must be by the corporate officer; for a partnership by another partner; for an individual by a notary with the corporate seal.

UTILITY ENCROACHMENT PERMIT PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS that \_\_\_\_\_ (Insert name of Contractor) (hereinafter called the "Principal") and \_\_\_\_\_ (Insert name of Surety) (hereinafter called the "Surety"), are held and firmly bound unto FULTON COUNTY, a political subdivision of the State of Georgia (hereinafter called the "Owner"), its successors and assigns, in the penal sum of \_\_\_\_\_ [100% of Encroachment work amount], lawful money of the United States of America, for the payment of which the Principal and the Surety bind themselves, their administrators, executors, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the Principal has entered, or is about to enter, into a permitted construction project with the Owner, dated \_\_\_\_\_, which is incorporated herein by reference in its entirety (hereinafter called the "Contract"), for construction-type services of a project known as \_\_\_\_\_

[NAME OF PROJECT TO BE CONSTRUCTED WITHIN GDOT ROW WITH A DESCRIPTION], (hereinafter called the "Project");

NOW, THEREFORE, the conditions of this obligation are as follows, that if the Principal shall fully and completely perform all the undertakings, covenants, terms, conditions, warranties, and guarantees contained in the Contract, including all modifications, amendments, changes, deletions, additions, and alterations thereto that may hereafter be made, then this obligation shall be void; otherwise it shall remain in full force and effect.

Whenever the Principal shall be, and declared by the Owner to be, in default under the Construction-Type Contract, the Surety shall promptly remedy the default as follows:

- 1. Complete the Contract in accordance with its terms and conditions; or, at the sole option of the Owner,
2. Obtain a bid or bids for completing the Contract in accordance with its terms and conditions, and upon determination by the Surety and the Owner of the lowest responsible bidder, arrange for a contract between such bidder and Owner and make available as the work progresses (even though there should be a default or succession of defaults under the Contract or contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the balance of the contract price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the penal sum set forth in the first paragraph hereof, as may be adjusted, and the Surety shall make available and pay to the Owner the funds required by this Paragraph prior to the payment of the Owner of the balance of the contract price, or any portion thereof. The term "balance of the contract price," as used in this paragraph, shall mean the total amount payable by the Owner to the Contractor under the Contract, and any amendments thereto, less the amount paid by the Owner to the Contractor; or, at the sole option of the Owner,
3. Allow Owner to complete the work and reimburse the Owner for all reasonable costs incurred in completing the work.

In addition to performing as required in the above paragraphs, the Surety shall indemnify and hold harmless the Owner from any and all losses, liability and damages, claims, judgments, liens, costs and fees of every description, including reasonable attorney's fees, litigation costs and expert witness fees, which the Owner may incur, sustain or suffer by reason of the failure or

default on the part of the Principal in the performance of any or all of the terms, provisions, and requirements of the Contract, including any and all amendments and modifications thereto, or incurred by the Owner in making good any such failure of performance on the part of the Principal.

The Surety shall commence performance of its obligations and undertakings under this Bond promptly and without delay, after written notice from the Owner to the Surety.

The Surety hereby waives notice of any and all modifications, omissions, additions, changes, alterations, extensions of time, changes in payment terms, and any other amendments in or about the Contract, and agrees that the obligations undertaken by this Bond shall not be impaired in any manner by reason of any such modifications, omissions, additions, changes, alterations, extensions of time, change in payment terms, and amendments.

The Surety hereby agrees that this Bond shall be deemed amended automatically and immediately, without formal or separate amendments hereto, upon any amendment to the Contract, so as to bind the Principal and the Surety to the full and faithful performance of the Contract as so amended or modified, and so as to increase the penal sum to the adjusted Contract Price of the Contract.

No right of action shall accrue on this Bond to or for the use of any person, entity or corporation other than the Owner and any other obligee named herein, or their executors, administrators, successors or assigns.

This Bond is intended to comply with O.C.G.A. Section 36-91-1 et seq., and shall be interpreted so; as to comply with; the minimum requirements thereof. However, in the event the express language of this Bond extends protection to; the Owner beyond that contemplated by O.C.G.A. Section 36-91-1 et seq. and O.C.G.A. Section 13-10-1, as amended, or any other statutory law applicable to this Project, then the additional protection shall be enforced in favor of the Owner, whether or not such protection is found in the applicable statutes.

IN WITNESS WHEREOF the undersigned have caused this instrument to be executed and their respective corporate seals to be affixed and attested by their duly authorized representatives this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_.

\_\_\_\_\_(SEAL)  
(Principal)

By: \_\_\_\_\_

Attest:

\_\_\_\_\_  
Secretary

\_\_\_\_\_(SEAL)  
(Surety)

By: \_\_\_\_\_

Attest:

\_\_\_\_\_  
Secretary

\_\_\_\_\_  
(Address of Surety's Home Office)

\_\_\_\_\_  
(Resident Agent of Surety)

END OF SECTION

Fulton County, Public Works Water Services

Bonding Requirements Questionnaire for Wastewater & Water Projects

1. Project Name: \_\_\_\_\_
2. Dist: \_\_\_\_\_ LL: \_\_\_\_\_
3. Is this project on the road?  Yes  No If yes, how long \_\_\_\_\_ ft.
4. Does this project need erosion control device?  Yes  No
  - If yes, what type?
    1. Silt Fence Type A B C (Circle one) Length \_\_\_\_\_ ft.
    2. Temporary Grassing \_\_\_\_\_ ft.
    3. Sodding \_\_\_\_\_ ft.
    4. Other \_\_\_\_\_
5. Will this project involve Traffic Control Device?  Yes  No
  - If yes, what type?
    1. Std. DOT Concrete Barrier \_\_\_\_\_ ft.
    2. MUTCD Std. Safety Barrel \_\_\_\_\_ ea.
    3. Police Cruiser \_\_\_\_\_ day(s)
    4. Other \_\_\_\_\_

6. Does this project involve  yellow striping  white striping  stop bars \_\_\_\_\_
7. What will be the estimated construction total cost for this project?
8. Will this project involve sewer service laterals – includes pipe and sewer main wye, clean out assembly?
9. Will this project include manholes i.e. precast concrete, safety platform, std. frame & cover, watertight frame cover?
10. Will this project include tie in to existing manholes, rebuild existing precast manholes, raise existing manholes?
11. Will this project include concrete thrust collars for specified force main pipe if any?
12. Will this project include jack and bore with steel casing, free bore, open-cut installation, open trench etc.?
13. Will this project include removing and replacing driveway, curb and gutter, remove and replace pavement, milling, asphalt topping or utility cut pavement?
14. Will this project include removing and replacing concrete sidewalk, cast in place concrete?

**15. Will this project include installing new storm waster water pipe if any.**

**16. Will this project include replacing top soil, gabion, geotextile matting?**

**17. Will this project include crusher stone, sand, suitable earth materials?**

**18. Will this project include removing and replacing existing fences i.e. chain link, wood fence etc.**

**19. Will this project include stream crossing & bypass pumping if applicable.**

**Once this questionnaire is evaluated, you will then receive a dollar amount to use for your Bond Requirements for your Encroachment Permit Letter to submit to Cherise Smith. If any of these questions is not applicable, please put N/A.**