

Fulton County Board of Health Epidemiology Report

COVID-19 Diagnoses – 8/14/2020

SUMMARY

- As of August 14, 2020, Fulton County has recorded **21,570** cases of the 2019 novel coronavirus (COVID-19) and **463** deaths.
- Of 2,603 **new diagnoses** made between July 25 and August 7, the central portion of the county (Atlanta metro) accounted for 37% while the northern and southern parts accounted for 29% and 21% respectively.
- By city, **new** COVID-19 diagnoses rates range from 143.5 per 100,000 persons (Johns Creek) to 334.0 per 100,000 persons (Union City). [Fulton County Diagnoses Rates (per 100,000 persons): Cumulative 2074.4; Incident –244.7]. See map showing incident case rate by ZIP code on Pg.4.
- Among all persons diagnosed with COVID-19 in Fulton County, 9.2% required hospitalization and 2.1% died.
- Residents and staff of long-term care facilities account for 8.0% of COVID-19 diagnoses and 46.0% of COVID-19 deaths in Fulton County.




Fig 1. Daily and Cumulative COVID-19 diagnoses in Fulton County, GA

*Counts shown reflect the number of confirmed cases as of 9:00am on 8/14/20 using the date of first positive sample collection. Where date of sample collection was not available or missing, the date of report creation in GA SENDSS was used instead. **Note:** All data reported are preliminary and subject to change. Delays in data reporting may cause changes in data counts, particularly in the shaded portion.

DISTRIBUTION OF COVID-19 DIAGNOSES BY REGION

New cases: 37% of the new COVID-19 cases diagnosed in the past 2 weeks occurred in Atlanta while 29% and 21% occurred in the Northern and Southern regions of the county respectively.

| Fulton Region | % Cumulative | % New | |
|------------------------|--------------|--------|--|
| | count | cases* | |
| Atlanta | 43.6% | 36.6% | |
| North ¹ | 24.4% | 29.3% | |
| South ² | 20.4% | 20.8% | |
| Unincorporated/Unknown | 11.6% | 13.3% | |

Includes all Fulton County cities north of Atlanta metro (Alpharetta, Milton, Johns Creek, Roswell, Sandy Springs, Mountain Park) $|^2$ Includes all cities south of Atlanta (College Park, Chattahoochee Hills, East Point, Hapeville, Palmetto, South Fulton, Fairburn, and Union City) *New cases: Cases diagnosed in the past 2 weeks only (between 7/25/20 – 8/7/20).

Fig. 2. Distribution of COVID 19 cases by Region




Percent of confirmed cases


COVID-19 CASE COUNTS AND RATES BY CITY

| | Prior (8/12/20) | Current Total (8/14/20) | | | New | New Cases (Period: 7/10/20 – 8/7/20) ¹ | | | |
|--------------------|-----------------|-------------------------|-------|------------------------|------------------------------|---|-----------------------|--------------------------------|--|
| | Count | Count | % | Cum. Rate ² | 1st 14 d. (7/10– 7/24) | Last 14 d. (7/25–8/7) | % change ³ | Rate ⁴ (Last 14 d). | |
| Atlanta | 9250 | 9402 | 43.6% | 2131.1 | 2030 | 953 | ↓ 53.1% | 216.0 | |
| South Fulton | 2138 | 2195 | 10.2% | 2307.8 | 520 | 253 | ↓ 51.3% | 266.0 | |
| Sandy Springs | 1811 | 1866 | 8.7% | 1770.2 | 417 | 217 | ↓ 48.0% | 205.9 | |
| Roswell | 1414 | 1472 | 6.8% | 1561.7 | 432 | 230 | ↓ 46.8% | 244.0 | |
| East Point | 715 | 727 | 3.4% | 2078.5 | 178 | 97 | ↓ 45.5% | 277.3 | |
| Johns Creek | 685 | 722 | 3.3% | 863.3 | 204 | 120 | ↓ 41.2% | 143.5 | |
| Union City | 582 | 598 | 2.8% | 2853.1 | 129 | 70 | ↓ 45.7% | 334.0 | |
| Alpharetta | 733 | 758 | 3.5% | 1172.1 | 233 | 123 | ↓ 47.2% | 190.2 | |
| Milton | 426 | 445 | 2.1% | 1165.8 | 108 | 73 | ↓ 32.4% | 191.2 | |
| Fairburn | 341 | 348 | 1.6% | 2366.1 | 84 | 49 | ↓ 41.7% | 333.2 | |
| College Park | 267 | 274 | 1.3% | 1974.5 | 59 | 37 | ↓ 37.3% | 266.6 | |
| Palmetto | 88 | 91 | 0.4% | 2081.4 | 27 | 14 | ↓ 48.1% | 320.2 | |
| Hapeville | 161 | 162 | 0.8% | 2461.6 | 21 | 21 | - | 319.1 | |
| Mountain Park | 5 | 5 | 0.0% | 800.0 | <10 | 0 | - | 0.0 | |
| Chattahooche Hills | 0 | 0 | 0.0% | - | - | - | - | - | |
| Unknown | 2954 | 2505 | 11.6% | - | 708 | 343 | - | - | |

*New cases: Cases diagnosed in most recent 28 days (based on reported dates of positive sample collection). To allow for lag in reporting results of new diagnoses from samples collected in the most recent week, data used for incident diagnoses analyses were moved back by one week. *Cumulative diagnosis rate: Population estimates from US Census Bureau used to calculate cumulative diagnoses rate. All rates shown are per 100,000 persons. *3% change: These reflect the percentage increase or decrease in new diagnoses between the 14 days preceding the most recent 7 days and the 14 days preceding that. Changes in cities with less than 10 cases in both 2 week intervals are not reported *(Incidence) Rate: Rate of new diagnoses in the last 14 day period preceding the immediate past week. **Data cleaning (either during case interviews or address geo-coding) may lead to reassignment of few cases from one territory to another based on their corrected addresses. These may appear as "decreases" when compared to the previous day's count. These do not reflect errors in the data collection or analysis process but only reflect the minor day-to-day fluctuations in case counts that arise in an evolving public health database like COVID's. Note: All data reported are preliminary and subject to change.



^{*}Rates shown are per 100,000 persons | **Note:** Mass testing in specific locations (e.g. long term care facilities) may cause sharp increases in the cumulative rate of COVID-19 diagnosis in those territories. All data shown are preliminary and are subject to change as testing results get updated.



<u>New COVID-19 cases:</u> Cases diagnosed in most recent 14 days (based on reported dates of positive sample collection). To allow for lag in reporting results of positive cases from samples collected in the immediate past7 days, data used for incident diagnoses analyses are moved back by one week. Map reflects new COVID-19 cases diagnosed between July 25^{th} and $Aug 7^{th}$, 2020 across Fulton County.




Fig. 5. New COVID-19 Diagnoses Rates (per 100,000 population) by ZIP Code (Jul 25 – Aug 7, 2020)

*Rates shown are per 100,000 populations.

New COVID-19 cases: Cases diagnosed in most recent 14 days (based on reported dates of positive sample collection). To allow for lag in reporting results of positive cases from samples collected in the immediate past7 days, data used for incident diagnoses analyses are moved back by one week. Data used excludes outbreak-related cases at long-term care facilities and map shown reflects only the new non-LTCF cases diagnosed between the dates shown in map title.

COVID-19 CASE COUNTS BY ZIP CODE

| | Prior (8/12/20) | Current To | tal (8/14/20) | New Cases | s (Period: 7/10/20 – | - 8/07/20) ¹ |
|------------|-----------------|------------|---------------|---|------------------------------------|-------------------------|
| | Count | Count | % | 1st 14 days (Jul 10 – Jul 24) | Last 14 d. (Jul 25 – Aug 7) | % change ² |
| All Fulton | 21057 | 21570 | 100.0% | 5128 | 2603 | ↓ 49.2% |
| 30331 | 1394 | 1422 | 6.6% | 329 | 156 | ↓ 52.6% |
| 30318 | 1275 | 1297 | 6.0% | 318 | 142 | ↓ 55.3% |
| 30349 | 1419 | 1451 | 6.7% | 370 | 190 | ↓ 48.6% |
| 30213 | 816 | 845 | 3.9% | 204 | 121 | ↓ 40.7% |
| 30315 | 634 | 647 | 3.0% | 145 | 103 | ↓ 29.0% |
| 30344 | 655 | 669 | 3.1% | 170 | 90 | ↓ 47.1% |
| 30311 | 628 | 641 | 3.0% | 147 | 91 | ↓ 38.1% |
| 30342 | 895 | 917 | 4.3% | 204 | 84 | ↓ 58.8% |
| 30314 | 464 | 472 | 2.2% | 74 | 51 | ↓ 31.1% |
| 30310 | 585 | 591 | 2.7% | 112 | 68 | ↓ 39.3% |
| 30308 | 378 | 387 | 1.8% | 94 | 26 | ↓ 72.3% |
| 30022 | 768 | 805 | 3.7% | 237 | 127 | ↓ 46.4% |
| 30327 | 378 | 390 | 1.8% | 66 | 45 | J 31.8% |
| 30004 | 661 | 684 | 3.2% | 187 | 105 | ↓ 43.9% |
| 30309 | 614 | 625 | 2.9% | 121 | 60 | ↓ 50.4% |
| 30076 | 659 | 696 | 3.2% | 212 | 119 | ↓ 43.9% |
| 30291 | 608 | 622 | 2.9% | 120 | 73 | ↓ 39.2% |
| 30350 | 414 | 425 | 2.0% | 94 | 54 | J 42.6% |
| 30075 | 728 | 751 | 3.5% | 215 | 114 | J 47.0% |
| 30328 | 598 | 617 | 2.9% | 154 | 85 | ↓ 44.8% |
| 30316 | 316 | 321 | 1.5% | 86 | 42 | ↓ 51.2% |
| 30312 | 653 | 662 | 3.1% | 129 | 41 | ↓ 68.2% |
| 30005 | 347 | 363 | 1.7% | 102 | 55 | ↓ 46.1% |
| 30305 | 590 | 602 | 2.8% | 118 | 41 | ↓ 65.3% |
| 30306 | 254 | 260 | 1.2% | 65 | 27 | ↓ 58.5% |
| 30324 | 716 | 721 | 3.3% | 121 | 63 | ↓ 47.9% |
| 30337 | 252 | 258 | 1.2% | 55 | 35 | ↓ 36.4% |
| 30009 | 281 | 287 | 1.3% | 95 | 45 | ↓ 52.6% |
| 30313 | 129 | 134 | 0.6% | 24 | 13 | ↓ 45.8% |
| 30326 | 175 | 176 | 0.8% | 45 | <10 | ↓ 80.0% |
| 30097 | 157 | 164 | 0.8% | 52 | 24 | ↓ 53.8% |
| 30354 | 337 | 343 | 1.6% | 61 | 51 | ↓ 16.4% |
| 30303 | 353 | 353 | 1.6% | 132 | 27 | ↓ 79.5% |
| 30339 | 246 | 257 | 1.2% | 69 | 43 | ↓ 37.7% |
| 30268 | 142 | 148 | 0.7% | 51 | 22 | ↓ 56.9% |
| 30307 | 145 | 147 | 0.7% | 43 | 30 | ↓ 30.2% |
| 30319 | 102 | 104 | 0.5% | 10 | <10 | ↓ 10.0% |
| 30336 | 73 | 75 | 0.3% | 10 | <10 | ↓ 60.0% |
| 30296 | 33 | 36 | 0.2% | 11 | <10 | ↓ 72.7% |
| 30363 | 53 | 53 | 0.2% | 13 | <10 | ↓ 69.2% |
| 30301 | <10 | <10 | <0.1% | 0 | 0 | - |
| 30345 | 33 | 35 | 0.2% | <10 | <10 | - |
| 31131 | <10 | <10 | <0.1% | 0 | <10 | - |
| 30023 | <10 | <10 | <0.1% | 0 | 0 | - |
| 30080 | <10 | <10 | <0.1% | <10 | <10 | - |
| 30135 | <10 | <10 | <0.1% | <10 | 0 | ↓ 100.0% |
| 30138 | <10 | <10 | <0.1% | 0 | 0 | - |
| 30139 | - | - | - | 0 | 0 | - |
| 30321 | 10 | 10 | <0.1% | <10 | 0 | ↓ 100.0% |
| 30340 | 30 | 32 | 0.1% | <10 | <10 | - |


| 30341 | 37 | 39 | 0.2% | <10 | <10 | - |
|---------|------|-----|-------|-----|-----|---------|
| 30358 | <10 | <10 | <0.1% | 0 | <10 | - |
| 30374 | 31 | 31 | 0.1% | <10 | <10 | - |
| 30606 | <10 | <10 | <0.1% | 0 | 0 | - |
| 31150 | <10 | <10 | <0.1% | 0 | 0 | - |
| 30024 | <10 | 11 | <0.1% | <10 | <10 | - |
| 30098 | - | - | - | 0 | 0 | - |
| 30334 | 14 | 14 | <0.1% | <10 | <10 | - |
| 30338 | 136 | 135 | 0.6% | 47 | 20 | ↓ 57.4% |
| Unknown | 1310 | 809 | 3.8% | 177 | 66 | - |


<u>New cases:</u> Cases diagnosed in most recent 28 days (based on reported dates of positive sample collection). To allow for lag in reporting results of new diagnoses from samples collected in the most recent week, data used for incident diagnoses analyses were moved back by one week. <u>Percent change:</u> These reflect the percentage increase or decrease of new diagnoses between the 14 days preceding the past 7 days and the 14 days preceding that. Changes in ZIP codes with less than 10 cases in <u>both</u> 2 week intervals are not reported **Data cleaning (either during case interviews or address geo-coding) may lead to reassignment of few cases from one territory to another based on their corrected addresses. These may appear as "decreases" when compared to the previous day's count. These do not reflect errors in the data collection or analysis process but only reflect the minor day-to-day fluctuations in case counts that arise in an evolving public health database like COVID's. <u>Note:</u> Sharp increases in territorial COVID case counts often reflect new cases diagnosed at long term care facilities located in those territories during facility-wide /mass screening events AII data reported are preliminary and subject to change.

REPORTING SYMPTOMS AMONG PERSONS DIAGNOSED WITH COVID-19 IN FULTON

People with COVID-19 have reported a wide range of symptoms ranging from mild symptoms to severe illness. Symptoms may appear 2-14 days after exposure to the virus. Symptoms reported include: cough, shortness of breath/difficulty breathing, fever, chills, repeated shaking with chills, muscle pain, headache, sore throat, new loss of taste or smell – Centers for Disease Control and Prevention (CDC) https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html

Fig. 6a & b. Proportion Reporting Symptoms in Fulton






COVID-19 cases who have been case interviewed or had medical charts reviewed as at 8/14/20 only

COVID-19 HOSPITALIZATIONS, ICU ADMISSIONS AND DEATHS IN FULTON

Fig. 7. Hospitalizations, ICU Admissions and Deaths among COVID-19 Diagnoses in Fulton County



DEMOGRAPHIC DISTRIBUTIONS - COVID 19 DIAGNOSES AND DEATHS

A. Distribution of COVID-19 diagnoses in Fulton County by Fulton Region


| | | North Fulton Cities ¹ | Atlanta | South Fulton Cities ² | Unknown City | All Fulton |
|-------|----------------|----------------------------------|--------------|----------------------------------|--------------|---------------|
| | | Count (%) | Count (%) | Count (%) | Count (%) | Count (%) |
| Total | COVID-19 cases | 5268 | 9402 | 4395 | 2505 | 21570 |
| Gende | er: Female | 2588 (49.1%) | 4473 (47.6%) | 2382 (54.2%) | 1221 (48.7%) | 10664 (49.4%) |
| | Male | 2434 (46.2%) | 4280 (45.5%) | 1774 (40.4%) | 1138 (45.4%) | 9626 (44.6%) |
| | Unknown | 246 (4.7%) | 649 (6.9%) | 239 (5.4%) | 146 (5.8%) | 1280 (5.9%) |
| Age: | 0-9 | 161 (3.1%) | 159 (1.7%) | 119 (2.7%) | 66 (2.6%) | 505 (2.3%) |
| | 10-19 | 676 (12.8%) | 545 (5.8%) | 276 (6.3%) | 156 (6.2%) | 1653 (7.7%) |
| | 20-29 | 1191 (22.6%) | 2687 (28.6%) | 877 (20.0%) | 642 (25.6%) | 5397 (25.0%) |
| | 30-39 | 858 (16.3%) | 2057 (21.9%) | 890 (20.3%) | 540 (21.6%) | 4345 (20.1%) |
| | 40-49 | 840 (15.9%) | 1250 (13.3%) | 794 (18.1%) | 388 (15.5%) | 3272 (15.2%) |
| | 50-59 | 729 (13.8%) | 1056 (11.2%) | 617 (14.0%) | 315 (12.6%) | 2717 (12.6%) |
| | 60-69 | 408 (7.7%) | 717 (7.6%) | 429 (9.8%) | 191 (7.6%) | 1745 (8.1%) |
| | ≥70 | 398 (7.6%) | 910 (9.7%) | 381 (8.7%) | 200 (8.0%) | 1889 (8.8%) |
| | Unknown | <10 | 21 (0.2%) | 12 (0.3%) | <10 | 47 (0.2%) |
| Race: | Asian, NH | 116 (2.2%) | 118 (1.3%) | 14 (0.3%) | 41 (1.6%) | 289 (1.3%) |
| | Black, NH | 481 (9.1%) | 3861 (41.1%) | 2391 (54.4%) | 671 (26.8%) | 7404 (34.3%) |
| | White, NH | 1356 (25.7%) | 1482 (15.8%) | 148 (3.4%) | 431 (17.2%) | 3417 (15.8%) |
| | Hispanic | 795 (15.1%) | 497 (5.3%) | 257 (5.8%) | 231 (9.2%) | 1780 (8.3%) |
| | Other, NH | 188 (3.6%) | 238 (2.5%) | 72 (1.6%) | 91 (3.6%) | 589 (2.7%) |
| | Unknown | 2332 (44.3%) | 3206 (34.1%) | 1513 (34.4%) | 1040 (41.5%) | 8091 (37.5%) |

B. Distribution of COVID-19 deaths in Fulton County by Fulton Region

| | North Fulton Cities ¹ Count (%) | Atlanta Count (%) | South Fulton Cities ² Count (%) | Unknown City Count (%) | All Fulton Count (%) |
|-----------------------|---|----------------------|--|---------------------------|-------------------------|
| Total COVID-19 deaths | 82 | 222 | 122 | 37 | 463 |
| Gender: Female | 34 (41.5%) | 98 (44.1%) | 65 (53.3%) | 22 (59.5%) | 219 (47.3%) |
| Male | 48 (58.5%) | 124 (55.9%) | 57 (46.7%) | 15 (40.5%) | 244 (52.7%) |
| Unknown | 0 | 0 | 0 | 0 | <10 |
| Age: ≤ 29 | 0 | <10 | <10 | 0 | <10 |
| 30-39 | <10 | <10 | <10 | 0 | <10 |
| 40-49 | <10 | <10 | <10 | <10 | 18 (3.9%) |
| 50-59 | <10 | 16 (7.2%) | 15 (12.3%) | <10 | 36 (7.8%) |
| 60-69 | <10 | 43 (19.4%) | 32 (26.2%) | <10 | 87 (18.8%) |
| ≥70 | 64 (78.0%) | 149 (67.1%) | 65 (53.3%) | 31 (83.8%) | 309 (66.7%) |
| Unknown | 0 | 0 | 0 | 0 | 0 |
| Race: Asian, NH | 0 | <10 | <10 | <10 | <10 |
| Black, NH | 16 (19.5%) | 186 (83.8%) | 106 (86.9%) | 20 (54.1%) | 328 (70.8%) |
| White, NH | 61 (74.4%) | 25 (11.3%) | 10 (8.2%) | 14 (37.8%) | 110 (23.8%) |
| Hispanic | <10 | <10 | <10 | <10 | 14 (3.0%) |
| Other, NH | 0 | <10 | <10 | 0 | <10 |
| Unknown | 0 | <10 | 0 | 0 | <10 |

¹Includes all Fulton County cities north of Atlanta metro (Alpharetta, Milton, Johns Creek, Roswell, Sandy Springs, Mountain Park) ²Includes all cities south of Atlanta (College Park, Chattahoochee Hills, East Point, Hapeville, Palmetto, South Fulton, Fairburn, Union City). Note: All data reported are preliminary and subject to change.

COVID-19 CASE TRENDS IN FULTON AND SURROUNDING DISTRICTS




*Graph shows the average number of cases calculated from the daily cumulative case counts in the metro Atlanta districts. Increases in daily cumulative case counts may include cases diagnosed earlier during the pandemic but were only recently reported to the state as cases diagnosed belonging to these districts.

Hall Forsyth Bartow Cherokee Jackson P61k Barrow Paulding Gwinnett -Oconee Walton DeKalb Douglas Rockdale Morgan Clayton Newton Carroll Henry Favette **Health Districts** Cases per Square Mile ≤1.8 ≤4.0 Jasper ≤6.2 Spalding 3-4 ≤8.6 3-1 ≤11.4 3-5 ≤14.8 ≤19.2 ≤26.0 Troup ≤36.3 Jones Pike lonroe ≤51.1 4.Upson


Fig. 9. COVID-19 Cases in Fulton County and Surrounding Districts (Jul 25 - Aug 7, 2020)


TRENDS IN COVID-19 CASES AMONG DEMOGRAPHIC GROUPS (14 DAY PERIODS)



Atlanta metro has consistently accounted for the majority of newly diagnosed cases in Fulton County.


^{*}South - Includes all Fulton cities south of Atlanta (College Park, Chattahoochee Hills, East Point, Hapeville, Palmetto, South Fulton, Fairburn, and Union City)







About 30% of COVID cases are missing data on patient race and ethnicity. Of cases with race and ethnicity reported, majority are Black non-Hispanic, followed by a smaller number of cases reporting White (non-Hispanic and Hispanic) race.

^{*}North -Includes all Fulton cities north of Atlanta metro (Alpharetta, Milton, Johns Creek, Roswell, Sandy Springs, Mountain Park)







Earlier (March-May 2020) large proportions of reported cases were among persons aged 60 and older. However, starting in June, a much higher number of cases were among persons aged between 20-29 years.




TRENDS IN COVID-19 CASES, HOSPITALIZATIONS AND DEATHS (7-DAY MOVING AVE.)




*Date of collection of first positive sample used (report creation date used where sample collection date is missing). Graph above reflects the trend in COVID-19 diagnosis. Due to the high volume of testing in recent weeks, there have been delays in reporting lab results. Thus, the trend is subject to change as more lab results get added to the state surveillance database.




^{*}Date of collection of first positive sample used (report creation date used where sample collection date is missing). Graph above reflects the trend in COVID-19 diagnosis. Due to the high volume of testing in recent weeks, there have been delays in reporting lab results. Thus, the trend is subject to change as more lab results get added to the state surveillance database.




^{*}Reported date of hospital admission used. Graph above reflects the trend in COVID-19 hospitalizations. Due to the high volume of new cases being added daily, there have been delays in reporting hospitalization data. Thus, the trend is likely to change as more hospitalization data is reported in the state surveillance database.



^{*}Reported date of hospital admission used. Graph above reflects the trend in COVID-19 hospitalizations. Due to the high volume of new cases being added daily, there have been delays in reporting hospitalization data. Thus, the trend is likely to change as more hospitalization data is reported in the state surveillance database.



^{*} Reported date of death used. Graph above reflects the trend in deaths attributed to COVID-19. The trend is likely to change as more data on deaths among persons with COVID-19 is reported in the state surveillance database.




^{*}Reported date of death used. Graph above reflects the trend in deaths attributed to COVID-19. The trend is likely to change as more data on deaths among persons with COVID-19 is reported in the state surveillance database.

COVID-19 IN LONG-TERM CARE FACILITIES IN FULTON COUNTY

Older persons (aged 65 years and older) and persons who live in nursing homes or other long-term care facilities seem to be at higher risk for developing more serious complications from COVID-19. Extra precautions are recommended for individuals within this risk groups – Centers for Disease Control and Prevention (CDC 2020) https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-at-higher-risk.html


Fig. 22. COVID-19 Diagnoses and Deaths in Fulton County Associated with Long-Term Care Facilities



LTCF \rightarrow Long-term Care Facility (Incudes residents and Staff)

COVID-19 POSITIVITY:

Fig. 23. COVID-19 Positivity at 59 reporting Long-Term Care Facilities (LTCF) in Fulton County




COVID-19 Cases, Hospitalizations, and Deaths among 59 reporting Long-Term Care Facilities in Fulton County


| | LT | CF Residents (n=4, | 793) | Ľ | TCF Staff (n=3,700) | |
|---------------------------|---------------------------|--------------------------|--------------------------|--------------------------|----------------------------|------------|
| | Cases | Hospitalizations | Deaths | Cases | Hospitalizations | Deaths |
| Average (count per fac.)1 | 21 | 5 | 4 | 8 | 1 | < 0.1 |
| Median (count per fac.)1 | 8 | 2 | 0 | 4 | 0 | 0 |
| Lowest counts | 1 | 0 | 0 | 0 | 0 | 0 |
| Highest counts | 136 | 48 | 29 | 62 | 8 | 1 |
| Total Count | 1224 (25.5%) ^a | 287 (23.5%) ^b | 210 (17.2%) ^b | 497 (13.4%) ^a | 30 (6.0%)b | 3 (<1.0%)b |

^a Percentage shown reflects proportion of total residents/staff tested who were positive (i.e. COVID-19 Positivity). | ^b Percentages shown are proportions of persons residents/staff diagnosed with COVID-19 who were hospitalized or died after diagnoses.


COVID-19 TESTING AND POSITIVITY IN FULTON COUNTY




*Data on Polymerase Chain Reaction (PCR) tests only included.




^{*}Data on Polymerase Chain Reaction (PCR) tests only included.




^{*}Data on Polymerase Chain Reaction (PCR) tests only included.




^{*}Data on Polymerase Chain Reaction (PCR) tests only included.




^{*}Data on Polymerase Chain Reaction (PCR) tests only included.



^{*}Data on Polymerase Chain Reaction (PCR) tests only included.



*Data on Polymerase Chain Reaction (PCR) tests only included.



^{*}Data on Polymerase Chain Reaction (PCR) tests only included.