



404 - Temporary Silt Fence.dwg March 17, 2026 - 2:12pm

NOTES:

- 1. USE STEEL OR WOOD POSTS OR AS SPECIFIED BY THE EROSION, SEDIMENTATION, AND POLLUTION CONTROL PLAN.
- 2. HEIGHT OF SILT FENCE IS TO BE SHOWN ON THE EROSION, SEDIMENTATION, AND POLLUTION CONTROL PLAN.
- 3. THE FABRIC AND WIRE SHOULD BE SECURELY FASTENED TO POSTS AND FABRIC ENDS MUST BE OVERLAPPED A MINIMUM OF 18" OR WRAPPED TOGETHER AROUND A POST TO PROVIDE A CONTINUOUS FABRIC BARRIER AROUND THE INLET.




SIDE VIEW




SIDE VIEW

OVERLAP AT FABRIC ENDS




TOP VIEW
N.T.S.



FRONT VIEW


SILT FENCE - TYPE NON-SENSITIVE




FRONT VIEW

SILT FENCE - TYPE SENSITIVE

WOOD POST WITH
STAPLE PLACEMENT



WOOD POST WITH
NAIL PLACEMENT



FRONT VIEWS
N.T.S.

FULTON COUNTY STANDARD DETAIL 404

TEMPORARY SILT FENCE

DATE	REVISIONS	DATE	REVISIONS

DGS/DRN/CHKD: MB/EB/ML
APPROVED: TM
DATE: 02-18-2026



FULTON COUNTY PUBLIC WORKS
141 PRYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-224-0498

DRAWING NO.

404