




509 - Drop Inlets_Brick and Catch Basin Extension.dwg March 17, 2026 - 3:11pm




SECTION B-B




SECTION A-A



PLAN VIEW



STREET WIDENING
CONVERTING CATCH BASIN TO MANHOLE



- NOTES:
1. REMOVE EXISTING TOP & THROAT OF CATCH BASIN. ADD BRICK COURSES FOR GRADE ADJUSTMENT. COMPLETE BY ADDING STANDARD MANHOLE FRAME & COVER (#460 LBS. AND SET IN 8" MIN. REINFORCED CONC. SLAB).
 2. ALL PIPES WITHIN RIGHT-OF-WAY SHALL BE RCP. THIS INCLUDES PIPE PARALLEL TO ROAD.
 3. SEE STANDARD #511 FOR DIMENSION TABLE.

FULTON COUNTY STANDARD DETAIL 509
DROP INLETS, BRICK & CATCH BASIN EXTENSION

DATE	REVISIONS	DATE	REVISIONS

DGS/DRN/CHKD: MB/EB/ML
APPROVED: TM
DATE: 02-18-2026



FULTON COUNTY PUBLIC WORKS
141 PRYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-224-0498

DRAWING NO.
509