

TABLE 511-2 CONCRETE DROP INLET										
D (IN.)	W1	MIN. -W2	W3	a	b	MIN-H		NORMAL W OR W1	MIN-H	MIN-H
15	2'-0"	2'-6 1/2"	2'-7"	0'-3 1/2"	0'-6"	3'-3"		2'-0"	2'-7 1/2"	3'-9 1/2"
18	2'-0"	2'-9 1/2"	2'-7"	0'-3 1/2"	0'-6"	3'-6"		2'-0"	2'-10"	4'-0"
24	2'-8"	4'-0 1/2"	3'-3"	0'-7 1/2"	1'-1"	4'-9"		3'-0"	3'-8"	4'-10"
30	3'-4"	5'-1 1/2"	3'-10"	0'-11 1/2"	1'-8"	5'-10"		3'-6 1/2"	4'-2 1/2"	5'-4 1/2"
36	3'-10"	6'-1 1/2"	4'-9"	1'-2 1/2"	2'-1 1/4"	6'-10"		4'-2"	4'-10"	6'-0"
42	4'-5"	7'-2 1/2"	5'-0"	1'-6"	2'-7 1/4"	7'-11"		4'-8 1/2"	5'-4 1/2"	6'-6 1/2"
48	5'-0"	8'-3 1/2"	5'-7"	1'-9 1/2"	3'-1 1/4"	9'-0"		5'-3 1/2"	5'-11 1/2"	7'-1 1/2"
54	5'-7"	9'-4 1/2"	6'-2"	2'-1"	3'-7 1/2"	10'-1"		5'-10"	6'-6"	7'-8"
60	6'-2"	10'-5 1/2"	6'-9"	2'-4 1/2"	4'-1 1/2"	11'-2"		6'-4 1/2"	7'-0 1/2"	3'-0 1/2"
60	6'-9"	11'-6 1/2"	7'-4"	2'-8"	4'-7 1/2"	12'-3"		6'-11"	7'-7"	8'-7"
72	7'-4"	12'-7 1/2"	7'-11"	2'-11 1/2"	5'-1 1/4"	13'-4"		7'-5 1/2"	8'-1 1/2"	9'-1 1/2"

FULTON COUNTY STANDARD DETAIL 511 DROP INLET DIMENSIONS		DATE	REVISIONS	DATE	REVISIONS	DGS/DRN/CHKD: MB/EB/ML		FULTON COUNTY PUBLIC WORKS 141 PRYOR ST. ATLANTA, GA. 30303 404-612-7400 FAX: 404-224-0498	DRAWING NO. 511
						APPROVED: TM			
						DATE: 02-18-2026			