

MAJOR SUBDIVISION STREET & ENTRANCE ROADS

SERVING 40 OR MORE HOUSING UNITS
N.T.S.


MAJOR SUB. DIV. STREETS & ENTRANCE ROADS

PAVEMENT MATERIAL SCHEDULE

(A)	ASPH. CONC. 9.5 mm SUPERPAVE, 165 lb/yd ² (1-1/2")
(B)	ASPH. CONC. 19 mm SUPERPAVE, 220 lb/yd ² (2")
(C)	GRADED AGGREGATE BASE (CRUSHER RUN) 8"

****TACK COAT (GRS2H, SS1 or AC30) TO BE USED AS REQUIRED
****PRIME COAT (RC70) TO BE USED AS REQUIRED

RAISED PAVEMENT MARKERS TO BE USED AS REQUIRED AND MUST BE APPROVED BY COUNTY ENGINEER/INSPECTOR



MINOR SUBDIVISION STREET & SIDE ROADS

SERVING LESS THAN 40 HOUSING UNITS, (**APPLY HEAVY DUTY PAVEMENT WHERE REQUIRED)
N.T.S.

MINOR SUB. DIV. STREETS & SIDE ROADS

PAVEMENT MATERIAL SCHEDULE

(A)	ASPH. CONC. 9.5 mm SUPERPAVE, 165 lb/yd ² (1-1/2")
(B)	ASPH. CONC. 19 mm SUPERPAVE, 220 lb/yd ² (2")
(C)	GRADED AGGREGATE BASE (CRUSHER RUN) 6"

****TACK COAT (GRS2H, SS1 or AC30) TO BE USED AS REQUIRED
****PRIME COAT (RC70) TO BE USED AS REQUIRED

SLOPE TABLE

CUT SLOPE	FILL SLOPE
0'-5' OR MORE	0'-5' OR MORE
4:1	4:1
2:1	2:1

FULTON COUNTY STANDARD DETAIL 302
TYPICAL SECTIONS
STREETS

DATE	REVISIONS	DATE	REVISIONS
6-08	CS		

DGS/DRN/CHKD:KAH
APPROVED: LJM
DATE: 4-19-05



FULTON COUNTY PUBLIC WORKS
141 PEYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-730-6325

DRAWING NO. 302